Personal communications and unpublished data

Allen-Gil, S.M., 2002. Ithaca College.
Ambrose, R.E., 2000. U.S. Fish and Wildlife Service, Fairbanks, Alaska.
Anthony, R., 2003. Oregon State University.
Beauchamp, G., 2002. University of Montreal.
Berg, T., 2003. Norwegian Institute for Air Research.
Bignert, A., 2001. Swedish Museum of Natural History.
Borg, H., 1999. Institute of Applied Environmental Research, Stockholm University, Sweden.
Born, E.W., 2002. Greenland Institute of Natural Resources.
Braune, B., 2001, 2002. National Wildlife Research Centre.
Brooks, S., 2001, 2003. Oak Ridge National Laboratories and U.S.National Oceanic and Atmospheric Administration, ICEX03 study.
Christensen, G., 2002, 2004. Akvaplan-niva, Tromsø, Norway.
Christensen, J., 2002. National Environmental Research Institute, Denmark.
Dam, M., 2001, 2002, 2003. Food and Environmental Agency, Faroe Islands.
Dasher, D., 2002. University of Alaska-Fairbanks.
Dehn, L., 2001, 2002. University of Alaska-Fairbanks.
Divoky, G., 2001. University of Alaska-Fairbanks.
Evans, T., 2002. U.S. Fish and Wildlife Service.
Forbes, B. 2002. Arctic Centre, University of Lapland.
Ford, J., 2002. Oregon State University.
Garrett, R., 2001. Geological Survey of Canada.
Goodsite, M., 2002. University of Southern Denmark.
Gromov, S., 2002. European Union International Association for the Promotion of Cooperation with Scientists from the New Independent States of the Former Soviet Union (INSTAS) Project.
Hirvi, J.P., 2001. Finnish Environment Institute/Finnish Forest Research Institute.
Henttonen, H., 2001. Finnish Environment Institute/Finnish Forest Research Institute.
Koerner, R. *et al.* pers. comm. 2002. Geological Survey of Canada.
Lindberg, S., 2003. Oak Ridge National Laboratories and U.S. National Oceanic and Atmospheric Administration, ICEX03 study.
Lockhart, L., 2002. Department of Fisheries and Oceans, Canada.
Mannio, J., 2001, 2002. Finnish Environment Institute.
Matz, A., 2001. U.S. Fish and Wildlife Service.
Muir, D., 2001, 2002. National Water Research Institute, Environment Canada.
Nygård, T., 2002. Norwegian Institute for Nature Research. Odsjö, T., 2002. Swedish Natural History Museum, Swedish National Monitoring Program.
O'Hara, T., 2002. U.S. Department of Wildlife Management.
Pacyna, J., 2002. Norwegian Institute for Air Research.
Richter, A., 2001. University of Bremen.
Riget, F., 2001, 2002. Department of Arctic Environment, Denmark.
Roach, P., 2001. Department of Indian and Northern Affairs, Yukon Region.
Robertson, A., 2001. NOAA National Status and Trends Program.
Rühling, Å., 2002. University of Lund.
Schroeder, B. 2002. Meteorological Service of Canada; Environment Canada.
Shotyk, W. et al., 2001. University of Heidelberg. (W.M. Shotyk, M. Goodsite, N. Givelet, F. Roos-Barraclough, K. Knudsen, G. Asmund, A. Cheburkin, J. Heinemeier, and S.A. Norton).
Steffen, A., 2002. Environment Canada.
Steenhuisen, F., 2002. Arctic Centre, University of Groningen,Netherlands.
Steinnes, E., 2002. University of Trondheim.
Stern, G., 2001. Department of Fisheries and Oceans, Canada.
Swem, T., 2000. U.S. Fish and Wildlife Service, Fairbanks, Alaska.
Wilson, S., 2002. Arctic Monitoring and Assessment Programme.

References

Aastrup, P., F. Riget, R. Dietz and G. Asmund, 2000. Lead, zinc, cadmium, mercury, selenium and copper in Greenland caribou and reindeer (*Rangifer tarandus*). Science of the Total Environment, 245:149–159.

ADF&G, 1994. Alaska Department of Fish and Game Wildlife Notebook Series – Arctic Grayling and Whitefish Species. [Online]. Available from World Wide Web: www.state.ak.us/adfg/notebook/fish/whitfish.htm, and www.state.ak.us/adfg/note book /fish/grayling.htm. (note incorrect spelling of whitefish in path).

AEPS, 1997. The Fourth Ministerial Meeting under the Arctic Environmental Protection Strategy. The Alta Declaration on the Arctic Environmental Protection Strategy. Ministry of the Environment, Alta, Norway, June 12–13 1997. 23 pp.

Akeredolu, F., L.A. Barrie, M.P. Olson, K.K. Oikawa, J.M. Pacyna and G.J. Keeler, 1994. The flux of anthropogenic trace metals into the Arctic from mid-latitudes in 1979/80. Atmospheric Environment, 28:1557–1572.

Alexander, V., 1995. The influence of the structure and function of the marine food web on the dynamics of contaminants in Arctic Ocean ecosystems. Science of the Total Environment, 160/161:593–603.

Alexeeva, L.B., W.M.J. Strachan, V.V. Shlychkova, A.A. Nazarova, A.M. Nikanorov, L.G. Korotova and V.I. Koreneva, 2001. Organochlorine pesticide and trace metal monitoring of Russian rivers flowing to the Arctic Ocean: 1990–1996. Marine Pollution Bulletin, 43:71–85.

Allen, R.O. and E. Steinnes, 1980. Contribution from long-range atmospheric transport to the heavy metal pollution of surface soil. *In:* D. Drabløs and A. Tollan (eds). Ecological Impact of Acid Precipitation, pp. 116–117. Olso-Ås.

Allen, E.B., M.F. Allen, D.J. Helm, J.M. Trappe, R. Molina and E. Rincon, 1995. Patterns and regulation of mycorrhizal plant and fungal communities. Plant and Soil, 170:47–62.

Allen-Gil, S.M. and V.G. Martynov, 1995. Heavy metal burdens in nine species of freshwater and anadromous fish from the Pechora River, northern Russia. Science of the Total Environment, 161:653–659.

Allen-Gil, S.M., C.P. Gubala, D.H. Landers, B.K. Lasora, E.A. Crecelius and L.R. Curtis, 1997a. Heavy metal accumulation in sediment and freshwater fish in U.S. Arctic lakes. Environmental Toxicology and Chemistry, 16:733–741.

Allen-Gil, S.M., D.H. Landers, T.L. Wade, J.L. Sericano, B.K. Lasorsa, E.A. Crecelius and L.R. Curtis, 1997b. Heavy metal, organochlorine pesticide and polychlorinated biphenyl contamination in arctic ground squirrels (*Spermophilus parryii*) in northern Alaska. Arctic, 50:323–333.

Allen-Gil, S.M., J. Ford, B.K. Lasorsa, M. Monetti, T. Vlasova and D.H. Landers, 2003. Heavy metal contamination in the Taimyr Peninsula, Siberian Arctic. Science of the Total Environment, 301:119–138.

Alve, E., 1995a. Benthic foraminifera responses to estuarine pollution – a review. Journal of Foraminiferal Research, 25:190–203.

Alve, E., 1995b. Benthic foraminiferal distribution and recolonization of formerly anoxic sediments in Drammensfjord, southern Norway. Marine Micropaleontology, 25:169–186.

Alve, E., 1999. Colonization of new habitats by benthic foraminifera: a review. Earth Science Review, 46:167–185.

AMAP, 1993. The monitoring programme for the Arctic Monitoring and Asssessment Programme. AMAP Report 93:3. Arctic Monitoring and Assessment Programme, Olso.

AMAP, 1998. AMAP Assessment Report: Arctic Pollution Issues. Arctic Monitoring and Assessment Programme, Oslo. xii+859 pp.

AMAP, 1999. Heavy Metals in the Arctic. Report of the AMAP/USEPA workshop on heavy mMetals in the Arctic. Anchorage, Alaska, 7–10 September 1999. AMAP Report 99:8. Arctic

Monitoring and Assessment Programme, Olso.
AMAP, 2003. AMAP Assessment 2002: Human Health in the Arctic. Arctic Monitoring and Assessment Programme, Oslo. xiv+137 pp.
AMAP, 2004. AMAP Assessment 2002: Radioactivity in the Arctic. Arctic Monitoring and Assessment Programme, Oslo.
Ambrose, R.E. and K.E. Riddle, 1988. Population dispersal, turnover, and migration of Alaska peregrines. *In:* T.J. Cade, J.H. Enderson, C.G. Thelander, C.M. White (eds.). Peregrine falcon populations: their management and recovery. Proceedings of the 1985 International Peregrine Conference, pp. 677–684. The Peregrine Fund Inc., Boise, USA.
Ambrose, R.E., A. Matz, T. Swem and P. Bente, 2000. Environmental contaminants in American and Arctic peregrine falcon eggs in Alaska, 1979–95. Technical Report NAES-TR-00-02, Fish and Wildlife Service, Fairbanks, Alaska. 67 pp.
Amiard-Triquet, C., F. Rainglet, C. Larroux, F. Regoli and H. Hummel, 1998. Metallothioneins in Arctic bivalves. Ecotoxicology and Environmental Safety, 41:96–102.
Amundsen, P.-A., F.J. Staldvik, A.A. Lukin, N.A. Kashulin, O.A. Popova and Y.S. Reshetnikov, 1997. Heavy metal contamination in freshwater fish from the border region between Norway and Russia. Science of the Total Environment, 201:211–224.
Andersen, R., J. Skurdal, and A. Linloekken, 1986. Mercury accumulation in Arctic char (*Salvelinus alpinus*) and brown trout (*Salmo trutta*) in an acidified coastal area, S.W. Norway. Vatten, 42:222–226.
Andersen, L.W., E.W. Born, R. Dietz, T. Haug, N. Øien and C. Bendixen, 2003. Genetic population structure of mink whales *Balaenoptera acutorostrata* from Greenland, the North East Atlantic and the North Sea probably reflects different ecological regions. Marine Ecology Progress Series, 247:263–281.
Andersson, A., Å. Nilsson and L. Håkanson, 1991. Metal concentrations of the mor layer. Swedish Environmental Protection Agency, Report No. 3990.
Anon, 1984/1985. Annual report of the Food and Environmental Agency, Faroe Islands.
Anon, 2001. Results of residue examinations of products of animal origin in Finland 2000. National Veterinary and Food Research Institute and National Food Agency, Helsinki. 67 pp. (In Finnish, with English summary)
Anthony, R.G., A.K. Miles, J.A. Estes and F.B. Isaacs, 1999. Productivity, diets, and environmental contaminants in nesting bald eagles from the Aleutian archipelago. Environmental Toxicology and Chemistry, 18:2054–2062.
Appelquist, H.I., I. Drabæk, and S. Asbirk, 1985. Variation in mercury content of guillemot feathers over 150 years. Marine Pollution Bulletin, 16:244–248.
Asmund, G. and S.P. Nielsen, 2000. Mercury in dated Greenland marine sediments. Science of the Total Environment, 245:61–72.
Auðunsson, G.A., B. Gunnarsson, E. Árnadóttir, E. Borsteinsdóttir, E. Yngvadóttir, G.N. Grewar, G.I. Stefánsdóttir, H. Halldórsdóttir, U. Ragnarsdóttir, and Ö Glömmi, 1997. Chemical composition of cod in Icelandic waters. Icelandic Fisheries Laboratory, project report 5–97.
Aulerich, R.J., R.K. Ringer and S. Iwamoto, 1974. Effects of dietary mercury on mink. Archives of Environmental Contamination and Toxicology, 2:43–51.
Axenfeld, F., J. Munch, and J.M. Pacyna, 1991. Europäische Test-Emissionsdatenbasis von Quecksilber-komponenten fur Modellrechnungen. Umweltforschungsplan des Bundesministers fur Umwelt Naturschutz und Reaktorsicherheit, Luftreinhaltung. Dornier Co., 104 02 726, Friedrichshafen, Germany.
Äyräs, M., H. Niskavaara, I. Bogatyrev, V. Chekushin, V. Pavlov, P. de Caritat, T.E. Finne and G. Kashulina, 1997. Regional patterns of heavy metals (Co, Cr, Cu, Fe, Ni, Pb, V, and Zn) and sulphur in terrestrial moss samples as indication of airborne pollution in a 188,000 km2 area in northern Finland, Norway and Russia. Journal of Geochemical Exploration, 58:269–281.
Backman, B., P. Lahermo, U. Väisänen, R. Juntunen, J. Karhu, T. Paukola, A. Pullinen, H. Rainio and H. Tanskanen, 1998. Summary: the effects of geological environment and human activities on groundwater in Finland. The results of monitoring in 1969–1996. Geological Survey of Finland, Report of investigation 147. 261 pp.
Bailey, E.A. and J.E. Gray, 1997. Mercury in the terrestrial environment, Kuskokwim Mountains region, southwestern Alaska. *In:* J.A. Dumoulin, J.E. Gray (eds.). Geologic studies in Alaska by the U.S. Geological Survey, 1995, pp. 41–56. U.S. Geological Survey Professional Paper 1574.
Barbante, C., A. Veysseyre, C. Ferrari, K. Van de Velde, C. Morel, G. Capodaglio, P. Cescon, G. Scarponi, and C. Boutron, 2001. Greenland snow evidence of large scale atmospheric contamination for platinum, palladium and rhodium. Environmental Science and Technology, 35:835–839.
Barrett, R.T., J.U. Skaare and G.W. Gabrielsen, 1996. Recent changes in levels of persistent organochlorines and mercury in eggs of seabirds from the Barents Sea. Environmental Pollution, 92:13–18.
Barrie, L. and U. Platt, 1997. Arctic tropospheric chemistry: an overview. Tellus, 49B:450–454.
Barrie, L.A., Y. Yi, U. Lohmann, W.R. Leaitch, P. Kasibhatla, G.-J. Roelofs, J. Wilson, F. McGovern, C. Benkovitz, M.A. Meliere, K. Law, J. Prospero, M. Kritz, D. Bergmann, C. Bridgeman, M. Chin, J. Christensen, R. Easter, J. Feichter, A. Jeuken, E. Kjellstrom, D. Koch, C. Land and P. Rasch, 2001. A comparison of large scale atmospheric sulphate aerosol models (COSAM): overview and highlights. Tellus, 53B:615–645.
Becker, P.R., 2000. Concentrations of chlorinated hydrocarbons and heavy metals in Alaska Arctic marine mammals. Marine Pollution Bulletin, 40:819–829.
Beckmen, K.B., K.A. Burek, K.W. Pitcher, G.M. Ylitalo and L.K. Duffy, 2001a. Organochlorine contaminants in live Steller sea lions, Eumetopias jubatus. Proceedings of the Fourteenth Biennial Conference on the Biology of Marine Mammals. November 28 – December 3 2001, Vancouver.
Beckmen, K.B., K.A. Burek, K.W. Pitcher, G.M. Ylitalo and L.K. Duffy, 2001b. Toxicology studies in Steller sea lions, Eumetopias jubatus. Proceedings of the Joint Conference of the American Association of Zoo Veterinarians, Association of Reptilian and Amphibian Veterinarians, and the American Association of Wildlife Veterinarians. September.18–23 2001, Orlando, Florida.
Beckmen, K.B., K.W. Pitcher, G.M. Ylitalo, M.M. Krahn and K.A. Burek, 2001c. Contaminants in free-ranging Steller sea lions: Organochlorines in blood, blubber, feces, and prey. Workshop to assess contaminant impacts on Steller sea lions in Alaska. Sponsored by the NOAA/NMFS Alaska Fisheries Science Center, Auke Bay. September 5–6 2001, Anchorage, Alaska.
Beckmen, K.B., L.K. Duffy, X. Zhang and K.W. Pitcher, 2002. Mercury concentrations in the fur of Steller sea lions and northern fur seals from Alaska. Marine Pollution Bulletin, 44:1130–1135.
Ben-David, M., L.K. Duffy, G.M. Blundell and R.T. Bowyer, 2001. Natural exposure of coastal river otters to mercury: relationships to age, diet and survival. Environmental Toxicology and Chemistry, 20:1986–1992.
Bengtsson, G., S. Rundgren, A. Ruhling, E. Baath, A. Nordgren, B. Soderstrom and L. Folkeson, 1984. The impact of heavy metal pollution on forests: a case study of Gusum, Sweden. Ambio, 13:416–421.
Berg, T. and A.-G. Hjellbrekke, 2001. AMAP data report: atmospheric subprogramme report No. 2. Norwegian Institute for Air Research (NILU). NILU OR 46/2001, 143 pp.
Berg, T. and E. Steinnes, 1997. Use of mosses (*Hylocomium splendens* and *Pleurozium schreberi*) as biomonitors of heavy metal deposition: from relative to absolute deposition values. Environmental Pollution, 98:61–71.
Berg, T., O. Røyset and E. Steinnes, 1995. Moss (*Hylocomium splendens*) used as biomonitor of atmospheric trace element deposition: estimation of uptake efficiencies. Atmospheric Environment, 29:353–360.
Berg, T., J. Bartnicki, J. Munthe, H. Lattila, J. Hrehoruk and A. Mazur, 2001. Atmospheric mercury species in the European Arctic: Measurements and modeling. Atmospheric Environment, 35:2569–2582.
Berg, T., K. Barrett and J. Munthe, 2002. Temporal patterns in heavy metal concentrations. Report prepared for AMAP II.
Berg, T., S. Sekkesæter, E. Steinnes, A. Valdal and G. Wibetoe, 2003. Arctic springtime depletion of mercury in the European Arctic as observed at Svalbard. Sci. Total Environ. 304: 43-51.

Berg, W.W., P.D. Sperry, K.A. Rahn and E.S. Gladney, 1983. Atmospheric bromine in the Arctic. Journal of Geophysical Research, 88:6719–6736.

Bernatchez, L., J.A. Vuorinen, R.A. Bodaly and J.J. Dodson, 1996. Genetic evidence for reproductive isolation and multiple origins of sympatric trophic ecotypes of whitefish (*Coregonus*). Evolution, 50:624–635.

Bettinelli, M., S. Spezia, C. Minoia and A. Ronchi, 2002. Determination of chlorine, fluorine, bromine, and iodine in coals with ICP-MS and IC. Atomic Spectroscopy, 23:105–110.

Beyer, W.N., G.H. Heinz and A.W. Redmon-Norwood (eds.), 1996. Environmental contaminants in wildlife: interpreting tissue concentrations. CRC Press, 483 pp.

Bignert, A., 2001. Comments concerning the National Swedish Monitoring Programme in fresh water biota. Swedish Museum of Natural History, Stockholm, Sweden 2001-06-28. 59 pp.

Bignert, A., B. Braune, P. Outridge, F. Riget and S. Wilson, 2002. Temporal trends of trace metals in the Arctic: an assessment of the global data. Second International AMAP Symposium on Environmental Pollution of the Arctic. 1–4 October 2002, Rovanemi. AMAP Report 2002:2. P018.

Bignert, A., F. Riget, B. Braune, P. Outridge and S. Wilson, 2004. Recent temporal trend monitoring of mercury in Arctic biota – how powerful are the existing data sets? J Environ. Monit. 6:351-355.

Bindler, R., I. Renberg, P.G. Appleby, N.J. Anderson and N.L. Rose, 2001a. Mercury accumulation rates and spatial patterns in lake sediments from West Greenland: a coast to ice margin transect. Environmental Science and Technology, 35:1736–1741.

Bindler, R., C. Olofsson, I. Renberg and W. Frech, 2001b. Temporal trends in mercury accumulation in lake sediments in Sweden. Water, Air, and Soil Pollution, Focus 1:343–355.

Bindler, R., I. Renberg, N.J. Anderson, P.G. Appelby, O. Emteryd and J. Boyle, 2001c. Pb isotope ratios of lake sediments in West Greenland: inferences on pollution sources. Atmospheric Environment, 35:4675–4687.

Björklund, I., H. Borg and K. Johansson, 1984. Mercury in Swedish lakes – regional distribution and causes. Ambio, 13:118–121.

Björkman, L., K. Mottet, M. Nylander, M. Vahter, B. Lind and L. Friberg, 1995. Selenium concentrations in brain after exposure to methylmercury: Relations between the inorganic mercury fraction and selenium. Archives of Toxicology, 69:228–234.

Blais, J.M., K. Duff, T. Laing and J.P. Smol, 1999. Regional contamination in lakes from the Noril'sk region in Siberia, Russia.Water, Air, and Soil Pollution, 110:389–405.

Bølviken, B. and E. Steinnes, 1987. Heavy metal contamination of natural surface soils in Norway from long-range atmospheric transport. Further evidence from analysis of different soil horizons. *In:* S.E. Lindberg and T.C. Hutchinson (eds.). Heavy Metals in the Environment. pp. 291–293. CEP Consultants, Edinburgh.

Borg, H. and K. Johansson, 1989. Metal fluxes to Swedish forest lakes. Water, Air, and Soil Pollution, 47:427–440.

Borg, H., K. Holm and M. Meili, 2001. Distribution of trace elements in Arctic lakes – some preliminary results from the Tundra North West Expedition. Paper presented at the International workshop on Trends and Effects of Heavy Metals in the Arctic. 18–22 June 2001, McLean, USA. AMAP Report 2001:3, B39–B42.

Born, E.W., P. Outridge, F.F. Riget, K. Hobson, R. Dietz, N. Øien and T. Haug, 2003. Population substructure of North Atlantic minke whales (*Balaenoptera acutorostrata*) inferred from regional variation of elemental and stable isotope signatures in tissues. Journal of Marine Systems, 43:1–18.

Boutron, C.F., 1995. Historical reconstruction of the Earth's past atmospheric environment from Greenland and Antarctic snow and ice cores. Environmental Review, 3:1–28.

Boutron, C.F., U. Gorlach, J.P. Candelone, M.A. Bolshov and R.J. Delmas, 1991. Decrease in anthropogenic lead, cadmium and zinc in Greenland snows since the late 1960s. Nature, 353:153–156.

Boutron, C.F., G.M. Vandal, W.F. Fitzgerald and C.P. Ferrari, 1998. A forty year record of mercury in central Greenland snow. Geophysical Research Letters, 25:3315–3318.

Bouton, S.N., P.C. Frederick, M.G. Spalding and H. McGill, 1999. Effects of chronic, low concentrations of dietary methylmercury on the behavior of juvenile great egrets. Environmental Toxicology and Chemistry, 18:1934–1939.

Boyd, R., S.-J. Barnes, P. De Caritat, V.A. Chekushin, A. Melezhik, C. Reimann and M.A. Zientek, 1998. Assessment of heavy metal emissions from the copper-nickel industry on the Kola Peninsula and other parts of Russia. Geological Survey of Norway, NGU Report 98.138.

Boyle, J., 2001. Redox remobilization and the heavy metal record in lake sediments: a modelling approach. Journal of Paleolimnology, 26:423–431.

Boyle, E.A., F. Sclater and J.M. Edmond, 1976. On the marine geochemistry of cadmium. Nature, 263:42–44.

Brabets, T.P., B. Wang and R.H. Meade, 2000. Environmental and hydrological overview of the Yukon River basin, Alaska and Canada. US Geological Survey, Anchorage, Alaska. 106 pp.

Bratton, G.R., W. Flory, C.B. Spainhour and E.M. Haubold, 1997. Assessment of selected heavy metals in liver, kidney, muscle, blubber, and visceral fat of Eskimo harvested bowhead whales Balaena mysticetus from Alaska's north coast. Final report submitted to the North Slope Borough Department of Wildlife Management, Barrow, Alaska. 233 pp.

Braune, B., D. Muir, B. De March, M. Gamberg, K. Poole, R. Currie, M. Dodd, W. Duschenko, J. Eamer, B. Elkin, M. Evans, S. Grundy, C. Hebert, R. Johnstone, K. Kidd, B. Koenig, L. Lockhart, H. Marshall, K. Reimer, J. Sanderson and L. Shutt, 1999a. Spatial and temporal trends of contaminants in Canadian Arctic freshwater and terrestrial ecosystems: a review. Science of the Total Environment, 230:145–207.

Braune, B., B. Wakeford and B. Malone, 1999b. Metals in liver and kidney of waterfowl and game birds. *In:* J. Jensen (ed.). Synopsis of research conducted under the 1997–1998 Northern Contaminants Program. pp. 99–105. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Braune, B.M., G.M. Donaldson and K.A. Hobson, 2001. Contaminant residues in seabird eggs from the Canadian Arctic. I. Temporal trends 1975–1998. Environmental Pollution, 114:39–54.

Braune, B.M., G.M. Donaldson and K.A. Hobson, 2002. Contaminant residues in seabird eggs from the Canadian Arctic, II. Spatial trends and evidence from stable isotopes for intercolony differences. Environmental Pollution, 117:133–145.

Bringmark, L. and E. Bringmark, 2001a. Lowest effect levels of lead and mercury on decomposition of mor layer samples in a longterm experiment. Water, Air, and Soil Pollution, Focus 1:425–437.

Bringmark, L. and E. Bringmark, 2001b. Soil respiration in relation to small-scale patterns of lead and mercury in mor layers of southern Swedish forest sites. Water, Air, and Soil Pollution, Focus 1:395–408.

Britten, M.W., 1998. Migration routes and non-breeding areas of sub-arctic and temperate latitude breeding populations of peregrine falcons. Department of Fishery and Wildlife Biology, Colorado State University. 114 pp.

Bruce, W. J. and K.D. Spencer, 1979. Mercury levels in Labrador fish, 1977–78. Canadian industry report of fisheries and aquatic sciences 111: 12.

Bruland, K.W. and R.P. Franks, 1983. Mn, Ni, Cu , Zn and Cd in the western North Atlantic. *In:* C.S. Wong, E. Boyle, K.W. Bruland, J.D. Burton and E.D. Goldberg (eds.). Trace Metals in Sea Water, pp. 395–414. Plenum Press.

Buchman, M.F., 1999. NOAA Screening Quick Reference Tables. NOAA Hazmat Report 99-1. Coastal Protection and Restoration Division, National Oceanic and Atmospheric Administration. Seattle, USA. 12 pp.

Buhl, K.J. and S.J. Hamilton, 1991. Relative sensitivity of early life stages on Arctic grayling, coho salmon and rainbow trout to nine inorganics. Ecotoxicology and Environmental Safety, 22:184–197.

Bullock, O.R.J., 2000. Current methods and research strategies for modeling atmospheric mercury. Fuel Processing Technology, 65–66:459–471.

Bullock, O.R.J. and K.A. Brehme, 2002. Description and evaluation of atmospheric mercury simulation using the CMAQ model. Atmospheric Environment, 36:2135–2146.

Cade, T.J., 1960. Ecology of the Peregrine and Gyrfalcon populations in Alaska. University of California Publications in Zoology, 63:151–290.

Cade, T.J., C.M. White and J.R. Haugh, 1968. Peregrines and pesticides in Alaska. Condor, 70:170–178.

Cairney, J.W.G. and A.A. Meharg, 1999. Influences of anthropogenic pollution on mycorrhizal fungal communities. Environmental Pollution, 106:169–182.

Calkins, D.G., E.F. Becker and E.F. Pitcher, 1998. Reduced body size of female Steller sea lions from a declining population in the Gulf of Alaska. Marine Mammal Science, 14:232–244.

Callaghan, T.V., B.A. Carlsson, M. Sonesson and A. Temesvary, 1997. Between-year variation in climate-related growth of circumarctic populations of the moss Hylocomium splendens. Functional Ecology, 11:157–165.

Calvert, J.G. and S.E. Lindberg, 2003. A modeling study of the mechanism of the halogen-ozone-mercury homogeneous reactions in the troposphere during the Arctic spring. Atmospheric Environment, 37: 4467–4481.

Campbell, P.G.C., 1995. Interactions between trace metals and aquatic organisms: a critique of the free-ion activity Model. *In:* A. Tessier and D. Turner (eds.). Metal speciation and bioavailability in aquatic systems, pp. 45–102. John Wiley & Sons Ltd.

Campbell, J.A. and P.A. Yeats, 1982. The distribution of manganese, iron, nickel, copper and cadmium in the waters of Baffin Bay and the Canadian Arctic Archipelago. Oceanologica Acta, 5:161–168.

Cantillo, A.Y., G.G. Lauenstein, E.W. Johnson and T.P. O'Connor, 1999. Status and trends of contaminant levels in biota and sediments of Alaska. NOAA Regional Report Series 4. 44 pp. National Oceanic and Atmospheric Administration / National Ocean Service.

Carlson, T.N., 1981. Speculations on the movement of polluted air to the Arctic. Atmospheric Environment, 15:1473–1477.

Caurant, F. and C. Amiard-Triquet, 1995. Cadmium contamination in pilot whales Globicephala melas: Source and potential hazard to the species. Marine Pollution Bulletin, 30:207–210.

Caurant, F., J.-C. Amiard, C. Amiard-Triquet and P.G. Sauriáu, 1994. Ecological and biological factors controlling the concenrtation of trace elements (As, Cd, Cu, Hg, Se, Zn) in delphinids Globicephala melas from the North Atlantic Ocean. Marine Ecology Progress Series, 103:207–219.

Caurant, F., M. Navarro and J.-C. Amiard, 1996. Mercury in pilot whales: Possible limits to the detoxification process. Science of the Total Environment, 186:95–104.

Cederlund, G., H. Ljungqvist, G. Markgren and F. Stålfelt, 1980. Food of moose and roedeer at Grimsö in Central Sweden – Results of rumen content analyses. Viltrevy, 11:169–247.

Champoux, L., J. Rodrigue, B. Braune and D. Leclair, 1999. Contaminants in Northern Québec wildlife. *In:* J. Jensen (ed.). Synopsis of research conducted under the 1997-1998 Northern Contaminants Program. pp. 109–116. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Cheam, V., D. Muir and D. Halliwell, 2001. Spatial trends in loadings and historical inputs of mercury inferred from Arctic lake sediment cores. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program, pp. 110–117. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Chekushin, V.A., I.V. Bogatyrev, P. De Caritat, H. Niskavaara and C. Reimann, 1998. Annual atmospheric deposition of 16 elements in eight catchments of the central Barents region. Science of the Total Environment, 220:95–114.

Chiarenzelli, J.R., L.B. Aspler, D.L. Ozarko, G.E.M. Hall, K.B. Powis and J.A. Donaldson, 1997. Heavy metals in lichens, southern district of Keewatin, Northwest Territories, Canada. Chemosphere, 35:1329–1341.

Chiarenzelli, J.R., L.B. Aspler, C. Dunn, B. Cousens, D. Ozarko and K. Powis, 2001. Multi-element and rare earth element composition of lichens, mossess, and vascular plants from the Central Barrenlands, Nunavut, Canada. Applied Geochemistry, 16:245–270.

Christensen, J.H., 1997. The Danish Eulerian Hemispheric Model – a three-dimensional air pollution model used for the Arctic. Atmospheric Environment, 31:4169–4191.

Christensen, J.H., 1999. An overview of modelling the Arctic mass budget of metals and sulphur: Emphasis on source apportionment of atmospheric burden and deposition. Modelling and sources: A workshop on techniques and associated uncertainties in quantifying the origin and long-range transport of contaminants to the Arctic. AMAP report 99:4. Bergen, 14–16 June 1999.

Colpaert, J.V. and J.A. van Assche, 1992. Zinc toxicity in ectomycorrhizal Pinus sylvestris. Plant and Soil, 143:201–211.

Cooke, J.A. and M.S. Johnson, 1996. Cadmium in small mammals. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (eds.). Environmental contaminants in wildlife: Interpreting tissue concentrations. pp. 377–388. CRC Press.

Coquery, M., D. Cossa and J.-M. Martin, 1995. The distribution of dissolved and particulate mercury in three Siberian estuaries and adjacent coastal waters. Water, Air, and Soil Pollution, 80:653–664.

Cossa, D., M. Coquery, C. Gobeil and J.-M. Martin, 1996. Mercury fluxes at the ocean margins. *In:* W. Baeyens, O. Vasiliev and R. Ebinghaus (eds.). Global and Regional Mercury Cycles: Sources, Fluxes and Mass Balances. pp. 229–247. Kluwer Academic Publishers.

Crecelius, E.A., J.H. Trefry, M.S. Steinhauer and P.D. Boehm, 1991. Trace metals in sediments from the inner continental shelf of the western Beaufort Sea. Environmental Geology, 18:71–79.

Dai, M. and J.-M. Martin, 1995. First data on trace metal level and behavior in two major Arctic river-estuarine systems (Ob and Yenisey) and in the adjacent Kara Sea. Earth Planetary Science Letters, 131:127–141.

Daletzkaja, T.V., E.N. Poljakova, N.I. Stavrova and E.A. Maznaja, 1993. Impact of aerial pollution on reproduction of Scots pine and some dwarf-shrubs in the Kola Peninsula. *In:* M.V. Kozlov, E. Haukioja, and V.T. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula, pp.220–224. April 14–16, 1992, St. Petersburg.

Dallinger, R., M. Egg, G. Köck and R. Hofer, 1997. The role of metallothionein in cadmium accumulation of arctic char (*Salvelinus alpinus*) from high alpine lakes. Aquatic Toxicology, 38:47–66.

Dam, M., 1998. Målinge af miljøgifte i et udvalg indikatorarte. Food and Environmental Agency, Faroe Islands.

Dam, M., 2000. Integrated ecological monitoring in the coastal zone: Environmental pollutants. Food and Environmental Agency of the Faroe Islands, Heilsufrøðiliga Starvsstovan, 2000:2. 97 pp.

Dam, M., 2001. Analyses of mercury and organochlorines in individual marine mammals from the Faroe Islands. Fróðskaparrit, 48:145–174.

Dam, M. and D. Bloch, 2000. Screening of mercury and persistent organochlorine pollutants in long-finned pilot whale (*Globicephala melas*) in the Faroe Islands. Marine Pollution Bulletin, 40:1090–1099.

Danielsson, L.-G., B. Magnusson and S. Westerlund, 1985. Cadmium, copper, iron, nickel and zinc in the north-east Atlantic Ocean. Marine Chemistry, 17:23–41.

Dastoor, A.P. and Y. Larocque, in press. Global circulation of atmospheric mercury: A modeling study. Atmospheric Environment.

Dauvalter, V., 1994. Heavy metals in lake sediments of the Kola Peninsula, Russia. Science of the Total Environment, 158:51–61.

Dauvalter, V., 2002. Mercury in sediments of the Pechora River system. Impacts of POPs and mercury on Arctic environments and humans. AMAP conference and workshop, Abstract 6, Tromsø.

Dauvalter, V. and S. Rognerud, 2002. Concentrations of mercury in lake sediments in the border areas between Russia and Norway. Impacts of POPs and mercury on Arctic environments and humans. AMAP conference and workshop, Abstract 7, Tromsø.

de Baar, H.J.W., P.M. Saager, R.F. Nolting and J. van der Meer, 1994. Cadmium versus phosphate in the world ocean. Marine Chemistry, 46:261–281.

De Caritat, P., C. Reimann, M. Äyräs, H. Niskavaara, V. Chekushin and V.A. Pavlov, 1996. Stream water geochemistry from selected catchments on the Kola Peninsula (NW Russia) and in neighbouring areas of Finland and Norway: I. Element levels and sources. Aquatic Geochemistry, 2:149–168.

Derome, J. and A.-J. Lindroos, 1998. Effects of heavy metal contamination on macronutrient availability and acidification parameters in forest soil in the vicinity of the Harjavalta Cu–Ni smelter, SW Finland. Environmental Pollution, 99:225–232.

Derome, J. and A. Saarsalmi, 1999. The effect of liming and correc-

tion fertilisation on heavy metal and macronutrient concentrations in soil solution in heavy-metal polluted Scots pine stands. Environmental Pollution, 104:249–259.

Derome, J., A.-J. Lindroos and K. Niska, 1998. Effects of SO2 and heavy metal emissions from the Kola Peninsula, NW Russia, on soil acidity parameters in NW Russia and Finnish Lapland. Scandinavian Journal of Forest Research, 13:421–428.

Deutscher Bundestag, 1971. Umweltprogramm der Bundesregierung. 14.10.1971. Publ. 6, Wahlperiode, Drucksache VI/2710. Deutscher Bundestag, Bonn. (In German)

Deyeva, N.M. and E.A. Maznaja, 1993. The state of bilberry in polluted and unpolluted forests of the Kola Peninsula. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula. pp. 308–311. April 14–16, 1992. St. Petersburg.

Dickerson, R.R., K.P. Rhoads, T.P. Carsey, S.J. Oltmans, J.P. Burrows and P.J. Crutzen, 1999. Ozone in the remote marine boundary layer: A possible role for halogens. Journal of Geophysical Research, 104:21,385–21,395.

Dickson, R.R., 1999. All change in Arctic. Nature, 397:389–391.

Dickson, R.R., T.J. Osborn, J.W. Hurrell, J. Meincke, J. Blindheim, B. Adlandsvik, T. Vinje, G. Alekseev and W. Maslowski, 2000. The Arctic Ocean response to the North Atlantic Oscillation. Journal of Climate, 13:2671–2696.

Dietz, R., F. Riget and P. Johansen, 1996. Lead, cadmium, mercury and selenium in Greenland marine animals. Science of the Total Environment, 186:67–97.

Dietz, R., P. Johansen, F. Riget and G. Asmund, 1997. Data on heavy metals from Greenland before 1994: Contaminants in the Greenland Marine Environment. *In:* A. Aarkrog, P. Aastrup, G. Asmund, P. Bjerregaard, D. Boertmann, I. Carlsen, J. Christensen, M. Cleemann, R. Dietz, A. Fromberg, E. Storr-Hansen, N.Z. Heidam, P. Johansen, H. Larsen, G.B. Paulsen, H. Petersen, K. Pilegaard, M.E. Poulsen, G. Pritzl, F. Riget, H. Skov, H. Spliid, P. Weihe and P. Wählin (eds.). AMAP Greenland 1994–96. Environmental Project No. 356. pp. 247–350. Danish Environmental Protection Agency.

Dietz, R., J. Pacyna and D.J. Thomas, 1998. Heavy Metals. AMAP Assessment Report: Arctic Pollution Issues. pp. 373–524. Arctic Monitoring and Assessment Programme. Oslo.

Dietz, R., F. Riget and E. Born, 2000. An assessment of selenium to mercury in Greenland marine mammals. Science of the Total Environment, 245:15–24.

Doidge, D.W., G. Kaminski and C. Mesher, 1993. Blue mussels (*Mytilus edulis*) in Nunavik: Distribution, demography and commercial potential. Report to Fisheries and Aquaculture Testing and Experimentation Program of Department of Fisheries and Oceans. Makivik Research Centre, Kuujjuaq, Quebec.

Dunning, J.B. Jr. (ed.), 1993. CRC Handbook of Avian Body Masses. CRC Press.

Dyurgereov, M.B. and M.F. Meier, 1997. Year-to-year fluctuation of global mass balance of small glaciers and their contribution to sea level changes. Arctic and Alpine Research, 29:392–402.

ECOFRAM, 1999. ECOFRAM Terrestrial Draft Report: Ecological Committee on FIFRA Risk Assessment Methods. [Online]. Available from World Wide Web: www.epa.gov/oppefed1/ecorisk/terrreport.pdf.

Eicken, H., E. Reimnitz, V. Alexandrov, T. Martin, H. Kassens and T. Viehoff, 1996. Sea-ice processes in the Laptev Sea and their importance for sediment export. Continental Shelf Research, 12:205–233.

Eicken, H., J. Kolatschek, F. Lindemann, I. Dmitrenko, J. Freitag and H. Kassens, 2000. A key source area and constraints on entrainment for basin scale sediment transport by Arctic sea ice. Geophysical Research Letters, 27:1919–1922.

Eide, R. and G.R. Wesenberg, 1993. Mercury contents of indicators and target organs in rats after long-term, low-level, mercury vapor exposure. Environmental Research, 61:212–222.

Eide, R., G.R. Wesenberg and G.R. Fosse, 1993. Mercury in primary teeth in preindustrial Norway. Scandinavian Journal of Dental Research, 101:1–4.

Eide, R., J.D. Schønning, E. Ernst, I.M. Hansen and G.R. Wesenberg, 1995. Mercury content in rat teeth after administration of organic and inorganic mercury. The effects of interrupted exposure and of selenite. Acta Odontologica Scandinavica, 53:12–16.

Eisler, R., 1987. Mercury hazards to fish, wildlife, and invertebrates: a synoptic review. U.S. Fish and Wildlife Service Biological Report, 85 (1.12) 90 pp.

Elberling, B., 2001. Blyforurening og kildesporing i forbindelse med minedrfit i Grønland. Naturens Verden, 84:32–43.

Elberling, B., K.L. Knudsen, P.H. Kristensen and G. Asmund, 2003. Applying foraminiferal stratigraphy as a biomarker for heavy metal contamination and mining impact in a fiord in West Greenland. Marine Environmental Research, 55:235–256.

Elkin, B., 2000. Metal and radionuclide accumulation and effects in caribou (*Rangifer tarandus*). *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1999–2000 Northern Contaminants Program. pp. 167–171. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Elkin, B., 2001. Heavy metal and radionuclide contaminants in caribou. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 169–173. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Ellisson, R., R. Broome and R. Ogilvie, 1986. Foraminiferal response to trace metal contamination in the Patapsco River and Baltimore Harbour, Maryland. Marine Pollution Bulletin, 17:419–423.

Esnough, T.E., 1996. Trace metals in sediment of coastal Siberia. M.S. Dissertation. Texas A&M University. 146 pp.

Espelien, I., T. Skogland and O. Strand, 1999. Forurensningøkologi hos villrein. *In:* T. Nygård and B. Jonsson (eds.). NINA's instituttprogram for forurensningsøkologi 1991–95. pp. 79–90. Sluttrapport. NINA Temahefte 10. Norwegian Institute for Nature Research (NINA), Trondheim.

Evans, M. and L. Lockhart, 2001. An investigation of factors affecting high mercury concentrations in predatory fish in the Mackenzie River Basin. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 174–184. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Evans, M.S. and D. Muir, 2001. Spatial and long-term trends in organic contaminants and metals in fish species important to the commercial, sports and domestic fisheries of Great Slave Lake and the Slave River ecosystem. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program, pp. 185–193. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Evdokimova, G.A., 2000. The impact of heavy metals on the microbial diversity of podzolic soils in the Kola Peninsula. *In:* J.L. Innes and J. Oleksyn (eds.). Forest dynamics in heavily polluted regions. Report of the International Union of Forest Reseach Organizations (IUFRO) Task Force on Environmental Change. pp. 1:67–76. CAB International, UK

Evdokimova, G.A. and N.P. Mozgova, 1993. Microbiological study of soil contamination by heavy metals. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceddings of an international workshop on aerial pollution in Kola Peninsula. pp. 184–188. April 14–16, 1992. St. Petersburg.

Fahlke, J. and A. Bursik, 1995. Impact of the state-of-the-art of flue gas cleaning on mercury species emissions from coal-fired steam generators. Water, Air, and Soil Pollution, 80:209–215.

Fairbrother, A., L. Locke and G.L. Hoff (eds.), 1996. Non-infectious Diseases of Wildlife. 2nd Edition. Iowa State University Press. Fan, S.-M. and D.J. Jacob, 1992. Surface ozone depletion in Arctic spring sustained by bromine reactions on aerosols. Nature, 359:522–524.

Fant, M.L., M. Nyman, E. Helle and E. Rudbäck, 2001. Mercury, cadmium, lead and selenium in ringed seals (*Phoca hispida*) from the Baltic Sea and from Svalbard. Environmental Pollution, 111:493–501.

Farag, A.M., D.F. Woodward, W. Brumbaugh, J.N. Goldstein, E. MacConnell, C. Hogstrand and F.T. Barrows, 1999. Dietary effects of metals-contaminated invertebrates from the Coeur d'Alene River, Idaho, on cutthroat trout. Transactions of the American Fisheries Society, 128:578–592.

Fedorkov, A.L., 1993. Sexual reproduction of Scots pine in surroundings of Monchegorsk. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of an international workshop on aerial pollution in Kola Peninsula. pp. 215–219. April 14–16, 1992. St. Petersburg.

Ferrera, R., B. Mazzolai, E. Lanzillotta, E. Nucaro and N. Pirrone, 2000. Temporal trends in mercury evasion from the Mediterranean. Science of the Total Environment, 259:183–190.

Fjeld, E., J. Knutzen, E. Brevik, M. Schlabach, T. Skotvold, A.R. Borgen and M.L. Wiborg, 2001. Halogenerte organiske miljøgifter og kviksølv i norsk ferskvannsfisk, 1995-1999. NIVA rapport 4402-01. 48 pp (in Norwegian)

Flint, P.L. and M.P. Herzog, 1999. Breeding of Steller's eiders, Polysticta stelleri, on the Yukon-Kuskokwim Delta, Alaska. Canadian Field Naturalist, 113:306–308.

Flint, P.L., M.R. Petersen and J.B. Grand, 1997. Exposure of spectacled eiders and other diving ducks to lead in western Alaska. Canadian Journal of Zoology, 75:439–443.

Ford, J., 1989. The effects of chemical stress on aquatic species composition and community. *In:* S.A. Levin, M.A. Harwell, J.R. Kelly and K.D. Kimball (eds.). Ecotoxicology: Problems and Approaches. pp. 99–144. Springer-Verlag.

Ford, J. and L. Hasselbach, 2001. Heavy metals in mosses and soils on six transects along the Red Dog Mine haul road Alaska. Western Arctic National Parklands, National Park Service. NPS/AR/NRTR-2001/38. 73 pp.

Ford, J., B. Larsorsa, J. Voit, E. Crecelius, T. Vlasova, M. Monetti and D. Landers, unpublished. Contaminant landscapes of arctic Alaska and Siberia. [2003 - in review]

Ford, J., D. Landers, D. Kugler, B. Lasorsa, S. Allen-Gil, E. Crecelius and J. Martinson, 1995. Inorganic contaminants in Arctic Alaskan ecosystems: long-range atmospheric transport or local point sources? Science of the Total Environment, 160/161:323–335.

Ford, J., B. Lasorsa, E. Crecelius, J. Voit and D. Landers, 1997. Vegetation and soil database for Arctic Alaska and Siberia. Vol 1: Elemental composition. U.S. Environmental Protection Agency. 191 pp.

Frank, A. and L.R. Petersen, 1984. Assessment of bioavailability of cadmium in the Swedish environment using the moose (*Alces alces*) as indicator. Fresenius Journal of Analytical Chemistry, 317:652–653.

Franson, J.C., 1996. Interpretation of tissue lead residues in birds other than waterfowl. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (eds.). Environmental contaminants in wildlife: Interpreting tissue concentrations. pp. 265–279. CRC Press.

Franson, J.C., P.S. Koehl, D.V. Derksen, T.C. Rothe, C.M. Bunck and J.F. Moore, 1995a. Heavy metals in seaducks and mussels from the Misty Fjords National Monument in southeast Alaska. Environmental Monitoring and Assessment, 36:149–167.

Franson, J.C., M.R. Petersen, C.U. Meteyer and M.R. Smith, 1995b. Lead poisoning of spectacled eiders (*Somateria fischeri*) and of a common eider (*Somateria mollissima*) in Alaska. Journal of Wildlife Diseases, 31:268–271.

Franson, J.C., M.R. Petersen, L.C. Creekmore, P.L. Flint and M.R. Smith, 1998. Blood lead concentrations of spectacled eiders near the Kashunuk River, Yukon Delta National Wildlife Refuge, Alaska. Ecotoxicology, 7:1–7.

Freedman, B. and T.C. Hutchinson, 1980. Effects of smelter pollutants on forest leaf litter decomposition near a copper-nickel smelter at Sudbury, Canada. Canadian Journal of Botany, 58:1722–1736.

Friedmann, A.S., M.C. Watzin, T. Brinck-Johnsen and J.C. Leiter, 1996. Low levels of dietary methylmercury inhibit growth and gonadal development in juvenile walleye (*Stizostedion vitreum*). Aquatic Toxicology, 35:265–278.

Fritze, H., S. Niini, K. Mikkola and A. Mäkinen, 1989. Soil microbial effects of a Cu-Ni smelter in southwestern Finland. Biology and Fertility of Soils, 8:87–94.

Fritze, H., P. Vanhala, J. Pietikäinen and E. Mälkönen, 1996. Vitality fertilization of Scots pine stands growing along a gradient of heavy metal pollution: short-term effects on microbial biomass and respiration rate of the humus layer. Fresenius Journal of Analytical Chemistry, 354:750–755.

Frøslie, A., G. Norheim, P. Rambæk and E. Steinnes, 1984. Levels of trace elements in liver from Norwegian moose, reindeer and red deer in relation to atmospheric deposition. Acta Veterinaria Scandinavica, 25:333–345.

Frøslie, A., A. Haugen, G. Holt and G. Norheim, 1986. Levels of cadmium in liver and kidneys from Norwegian cervids. Bulletin of Environmental Contamination and Toxicology, 37:453–460.

Furness, R.W., 1996. Cadmium in birds. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (eds.). Environmental contaminants in wildlife: Interpreting tissue concentrations. pp. 398–404. CRC Press.

Gallien, I., F. Caurant, M. Bordes, P. Bustamante, P. Miramand, B. Fernandez, N. Quellard and P. Babin, 2001. Cadmium-containing granules in kidney tissue of the Atlantic white-sided dolphin (*Lagenorhynchus acutus*) off the Faroe Islands. Comparative Biochemistry and Physiology, Part C, 130:389–395.

Garbarino, J.R., E. Snyder-Conn, T.J. Leiker and Hoffman, G.L., 2002. Contaminants in arctic snow collected over northwest Alaskan sea ice. Water, Air, and Soil Pollution, 139:183–214.

Gerpe, M., P. Kling and P.E. Olsson, 1998. Metallothionein gene expression in arctic char (*Salvelinus alpinus*) following metal and PCB exposure. Marine Environmental Research, 46:551–554.

Gerpe, M., P. Kling, A.H. Berg and P.-E. Olsson, 2000. Arctic char (*Salvelinus alpinus*) metallothionein: cDNA sequence, expression, and tissue-specific inhibition of cadmium-mediated metallothionein induction by 17b-estradiol, 4-OH-PCB 30, and PCB 104. Environmental Toxicology and Chemistry, 19:638–645.

GESAMP, 1987. Land Sea Boundary Flux of Contaminants: Contributions from Rivers. Reports and Studies, N32. Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection (GESAMP), United Nations Educational, Scientific and Cultural Organization. 172 pp.

Gibson, M.A. and S.B. Shullinger, 1998. Answers from the ice edge: the consequences of climate change on life in the Bering and Chukchi seas. Greenpeace, Arctic Network, Washington DC. 32 pp.

Gobeil, C., N. Silverberg, B. Sundby and D. Cossa, 1987. Cadmium diagenesis in Laurentian Trough sediments. Geochimica et Cosmochimica Acta, 51:589–596.

Gobeil, C., R.W. Macdonald and J.N. Smith, 1999. Mercury profiles in sediments of the Arctic Ocean basins. Environmental Science and Technology, 33:4194–4198.

Gobeil, C., R.W. Macdonald, J.N. Smith and L. Beaudin, 2001. Lead contamination in Arctic basin sediments tracks Atlantic water flow pathways. Science, 293:1301–1304.

Gobl, F. and F. Mutsch, 1985. Schwermetallbelastung von Wäldern in der Umgebung eines Hüttenwerkes in Brixlegg/Tirol. I. Untersuchung der Mykorrhiza und Humusauflage. Zentralblatt für das Gesamte Forstwesen, 102:28–40.

Golubeva, N., L. Burtseva, S. Gromov and M. Felitsin, 2002. The results of investigation of contamination of atmospheric air of the open areas of the Barrents and White Seas with heavy metals. M-M011 in the Second AMAP International Symposium on Environmental Pollution of the Arctic. AMAP Report 2002:2. Arctic Monitoring and Assessment Programme, Oslo.

Gordeev, V.V., 2000. River input of water, sediment, major ions, nutrients and trace metals from Russian territory to the Arctic Ocean. *In:* E.L. Lewis, E.P. Jones, P. Lemke, T.D. Prowse and P. Wadhams (eds.). The Freshwater Budget of the Arctic Ocean. pp. 297–322. Kluwer Academic Publishers.

Gordeev, V.V., 2001. Heavy metals in the Russian Arctic rivers and some of their estuaries: concentrations and fluxes. *In:* J. Pacyna (ed.). Proceedings of the AMAP workshop on sources, emissions and discharges. Kjeller, 23–24 August 2001. pp. 79–100. NILU Report OR 3/2002. Norwegian Institute for Air Research (NILU). Kjeller, Norway.

Gordeev, V.V. and V.P. Shevchenko, 1995. Chemical composition of suspended sediments in the Lena river and its mixing zone. *In:* H. Kassens, D. Piepenburg, J. Thiede, L. Timokhov, H.-W. Hubberten and S.M. Priamikov (eds.). Russian-German Cooperation: Laptev Sea System. Report on Polar Research, pp. 154–169. AWI-Bremerhaven, Germany.

Gordeev, V.V., H. Paucot, R. Wollast and N.V. Aibulatov, 1995. Geochemical investigations of suspended sediments in the estuaries of the great arctic rivers Ob and Yenisey. 4-eme Symposium International sur les Estuaries Modeles. March 21-24, IFREMER, Nantes, France. Unite de Recherche Marine, N6, p.24.

Gordeev, V.V., J.-M. Martin, I.S. Sidorov and M.V. Sidorova, 1996. A reassessment of the Eurasian river input of water, sediment, major ions and nutrients to the Arctic Ocean. American Journal

of Science, 296:664–691.

Gordeev, V.V., R.G. Dzhamalov, I.S. Zektser, A.V. Zhulidov and V.A. Bryzgalo, 1999. An assessment of groundwater input of nutrients into the coastal seas of the Russian Arctic. Water Resources, 36:1–6.

Gorshkov, V.V., 1993. The state of moss-lichen cover in polluted and unpolluted pine forests of the Kola Peninsula. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of an international workshop on aerial pollution in Kola Peninsula. pp. 290–298. April 14–16, 1992. St. Petersburg.

Goyer, R.A. and T.W. Clarkson, 2001. Toxic effects of metals. *In:* C.D. Klaassen (ed). Casarett and Doull's Toxicology: The Basic Science of Poisons. Sixth edition. pp. 811–868. McGraw-Hill.

Grand, J.B., P.L. Flint, M.R. Petersen and C.L. Moran, 1998. Effect of lead poisoning on spectacled eider survival rates. Journal of Wildlife Management, 62:1103–1109.

Grand, J.B., J.C. Franson, P.L. Flint and M.R. Petersen, 2002. Concentrations of trace elements in eggs and blood of spectacled and common eiders on the Yukon-Kuskokwim Delta, Alaska. Environmenatal Toxicology and Chemistry, 21:1673–1678.

Gray, J.E., R.J. Goldfarb, D.E. Detra and K.E. Slaughter, 1991. Geochemistry and exploration criteria for epithermal cinnabar and stibnite vein deposits in the Kuskokwim River region, southwestern Alaska. Journal Geochemical Exploration, 41:363–386.

Gray, J.E., P. Theodorakos, J. Budahn and R. O'Leary, 1994. Mercury in the environment and its implications, Kuskokwim River region, Southwestern Alaska. Geologic studies in Alaska by the U.S. Geological Survey, 1993. pp. 3–13. U.S. Geological Survey Bulletin 2107.

Green, N.W., K. Hylland and M. Walday, 2001. Joint Assessment and Monitoring Programme (JAMP). National comments regarding the Norwegian Data for 1999. Norwegian State Pollution Monitoring Programme Report No. 812/01. TA-no. 1780/2001. 181 pp.

Grell, G.A., J. Dudhia and D.R. Stauffer, 1995. A description of the fifth-generation Penn State/NCAR mesoscale model (MM5). NCAR/TN-398+STR. June 1995. National Center for Atmospheric Research. Boulder, Colorado. 122 pp.

Guieu, C., W.W. Huang, J.-M. Martin and Y.Y. Yong, 1996. Outflow of trace metals into the Laptev Sea by the Lena River. Marine Chemistry, 53:255–268.

Gustin, M.S. and S.E. Lindberg, 2000. Assessing the contribution of natural sources to the global mercury cycle: The importance of intercomparing dynamic flux measurements. Fresenius Journal of Analytical Chemistry, 366:417–422.

Gustin, M.S., S.E. Lindberg, F. Marsik, A. Casimir, R. Ebinghaus, G. Edwards, C. Hubble-Fitzgerald, J. Kemp, H.H. Kock, T. Leonard, J. London, M. Majewski, C. Montecinos, J. Owens, M. Pilote, L. Poissant, P. Rasmussen, F. Schaedlich, D. Schneeberger, W.H. Schroeder, J. Sommar, R.R. Turner, A. Vette, D. Wallschläger, Z. Xiao and H. Zhang, 1999. The Nevada STORMS Project: Measurement of mercury emissions from naturally enriched surfaces. Journal of Geophysical Research, 104:21831–21844.

Gustin, M.S., S.E. Lindberg, K. Austin, M. Coolbaugh, A. Vette and H. Zhang, 2000. Assessing the contribution of natural sources to regional atmospheric mercury budgets. Science of the Total Environment, 259:61–72.

Hagner, C., 2000. European regulations to reduce lead emissions from automobiles – did they have an economic impact on the German gasoline and automobile markets? Regional Environmental Change, 3–4:135–151.

Håkansson, L., A. Andersson, Å. Bengtsson, P. Grahn, J. Å. Johansson, C.P. Jönsson, H. Kvarnäs, G. Lindgren and Å. Nilsson. 1990. Åtgärder mot höga kvicksilverhalter i insjöfisk. Slutrapport för kvicksilverdelen av projektet Kalkning – kvicksilver – cesium. Swedish Environmental Protection Agency, Report 3818, 189 pp. (In Swedish)

Hammar, J., 1998. Evolutionary ecology of Arctic char (*Salvelinus alpinus* L.) – Intra- and interspecific interactions in circumpolar populations. PhD Thesis. Uppsala University. 408 pp. Hammar, J., 2000. Cannibals and parasites: conflicting regulators of bimodality in high latitude Arctic char, Salvelinus alpinus. Oikos, 88:33–47.

Hammar, J. and O. Filipsson, 1988. The Arctic char in Lake Stora Rensjoen: A primary gene bank for conservation in a natural reserve. Sötvattenslaboratoriet Drottningholm, 13. 68 pp.

Hansen, C.T., C. Overgaard Nielsen, R. Dietz and M.H. Hansen, 1990. Zinc, cadmium, mercury and selenium in minke whales, belugas and narwhals from West Greenland. Polar Biology, 10:529–539.

Hansen, J.P.H., J. Meldgaard and J. Nordqvist, 1991. The Greenland mummies. McGill-Queens University Press, Montreal, 192 pp.

Hansen, J.A., J.D. Rose, R.A. Jenkins, K.G. Gerow and H.L. Bergman, 1999. Chinook salmon (*Oncorhynchus tshawytscha*) and rainbow trout (*Oncorhynchus mykiss*) exposed to copper: neurophysiological and histological effects on the olfactory system. Environmental Toxicology and Chemistry, 18:1979–1991.

Harris, J.M. and J.D.W. Kahl, 1994. Analysis of 10-days isentropic flow patterns for Barrow, Alaska: 1985–1992. Journal of Geophysical Research, 99:25845–25855.

Heintzenberg, J., 1989. Arctic haze: air pollution in polar regions. Ambio, 18:50–55.

Helmisaari, H.-S., J. Derome, H. Fritze, T. Nieminen, K. Palmgren, M. Salemaa and I. Vanha-Majamaa, 1995. Copper in Scots pine forests around a heavy metal smelter in south-west Finland. Water, Air, and Soil Pollution, 85:1727–1732.

Helmisaari, H.-S., K. Makkonen, M. Olsson, A. Viksna and E. Mälkönen, 1999. Fine root growth, mortality and heavy metal concentrations in limed and fertilized *Pinus sylvestris* (L.) stands in the vicinity of a Cu-Ni smelter in SW Finland. Plant and Soil, 209:193–200.

Henny, C.J. and D.D. Rudis, 1995. Contaminants and sea ducks in Alaska and the circumpolar region. Environmental Health Perspectives, 103:41–46.

Hermanson, M.H., 1998. Anthropogenic mercury deposition to Arctic lake sediments. Water, Air, and Soil Pollution, 101:309–321.

Hermanson, M.H. and J.R. Brozowski, 1993. Assessment of mercury and selenium in Arctic char (*Salvelinus alpinus*) from Kasegalik Lake, Belcher Islands Northwest Territories, Canada. 36th Conference of the International Association for Great Lakes Research, June 4–10, 1993. 49 pp.

Hill, A.B., 1965. The environment and diseases: association or causation. Proceedings of the Royal Society of Medicine, 58:295–300.

Hobbs, K.E., D.C.G. Muir, E.W. Born, R. Dietz, T. Haug, T. Metcalfe, C. Metcalfe and N. Øien, 2003. Levels and patterns of persistent organochlorines in minke whale (*Balaenoptera acutorostrata*) stocks from the North Atlantic and European Arctic. Environmental Pollution, 121:239–252.

Hobson, K.A., J.F. Piatt and J. Pitocchelli, 1994. Using stable isotopes to determine seabird trophic relationships. Journal of Animal Ecology, 63:786–798.

Hobson, K.A., K.D. Hughes and P.J. Ewins, 1997a. Using stable isotope analysis to identify endogeneous and exogeneous sources of nutrients in eggs of migratory birds: applications to Great Lakes contaminants research. Auk, 114:467–478.

Hobson, K.A., J.L. Sease and J.F. Piatt, 1997b. Investigating trophic relationships of pinnipeds in Alaska and Washington using stable isotope ratios of nitrogen and carbon. Marine Mammal Science, 13:114–132.

Hölemann, J.A., 2001. Transport of trace elements in the Laptev Sea: spring freshet and fall freeze-up. International workshop on trends and effects of heavy metals in the Arctic. pp. 10–13. 18–22 June 2001, McLean, USA.

Hölemann, J.A., S. Utschakowski, M. Shirmacher, H. Kassens, D.E. Schultz-Bull and A. Prange, 1997. Distribution and pathways of heavy metals and chlorinated biphenyls in the Laptev Sea (Russian Arctic). AMAP international symposium on environmental pollution in the Arctic. Tromsø, pp. 55–56. Arctic Monitoring and Assessment Programme, Oslo.

Hölemann, J.A., M. Schirmacher and A. Prange, 1999. Dissolved and particulate major and trace elements in newly formed ice from the Laptev Sea (Transdrift III, October 1995). *In:* H. Kassens, H.A. Bauche, I.A. Dmitrenko, H. Eicken, H.-W. Hubberten, M.Melles, J. Thiede and L.A. Timokhov (eds.). Land-ocean systems in the Siberian Arctic: dynamics and history. pp. 101–111. Springer-Verlag.

Holmes, R.M., J.W. McClelland, B.J. Peterson, I.A. Shiklomanov,

A.I. Shiklomanov, A.V. Zhulidov, V.V. Gordeev and N.N. Bobrovitskaya, 2002. A circumpolar perspective on fluvial sediment flux to the Arctic Ocean. Global Biogeochemical Cycles, 16:1849–1862.

Honninger, G. and U. Platt, 2002. Observation of BrO and its vertical distribution during surface ozone depletion at Alert. Atmospheric Environment, 36:2481–2490.

Hutchins, D.A., Teyssie, J.-L., Boisson, F. and S.W. Fowler, 1996. Temperature effects on uptake and retention of contaminant radionuclides and trace metals by the brittle star Ophiothrix fragilis. Marine Environmental Research, 41:363–378.

Hylland, K. and N. Green, 2001. Trends and effects: Atlantic cod (*Gadus morhua*) from Northern Norway. AMAP workshop on trends and effects of heavy metals in the Arctic. 18–22 June 2001, McLean, USA. AMAP Report 2001:3. pp. B61–B64.

Hylland, K., R.T. Arnesen, T. Bakke, Å. Bakketun, T. Bækken, E. Iversen, E.-A. Lindstrøm, A. Tobiesen and K.J. Aanes, 1998. Sink i ferskvann – kjemi, tilførsler og biologiske effekter (Zinc in freshwater – chemistry, sources and biological effects). NIVA-report 3801-97. 70 pp.

ICES, 2002. ICES/AMAP Study Group for the Assessment of AMAP POPs and Heavy Metals data. ICES CM 2002/ACME:01. International Council for the Exploration of the Sea, Copenhagen.

IPCC, 1995. Climate Change 1995: the science of climate change (summary for policymakers). Intergovernmental Panel on Climate Change. 55 pp.

IPCC, 1996. Climate Change 1995: the science of climate change. Contribution of working group I to the second assessment report for the Intergovernmental Panel on Climate Change. *In:* J.J. Houghton, L.G. Meiro Filho, B.A. Callander, N. Harris, A. Kattenberg and K. Maskell (eds.). Cambridge University Press. 572 pp.

Ivanov, G.I., 1999. Assessment of the environment of the Western Arctic Shelf of Russia: ecogeochemical parameters. *In:* Geology of Seas and Oceans. v.2, pp.33–34. (In Russian)

Ivanov, G.I. and I.S. Gramberg, 1999. Ecogeochemical parameters and criteria of asessment of the environment of the Western Arctic Shelf of Russia. *In:* Development of the Russian Arctic Offshore (RAO-99). v.1, pp. 370–378. St. Petersburg.

Ivanov, V.V. and A.A. Piskun, 1999. Distribution of river water and suspended sediment loads in the deltas of rivers in the basins of the Laptev and East-Siberian Seas. *In:* H. Kassens, H.A. Bauch, I. Dmitrenko, H. Eicken, H.W. Hubberten, M. Melles, J. Thiede and L.Timokhov (eds.). pp. 239–250. Land-Sea Systems in the Siberian Arctic: Dynamics and Hystory. Springer Verlag.

Ivanov, G.I., V.I. Petrova and T.V. Ponomarenko, 1996. Complex assessment of bottom environment of Pechora Region after Usinskaya accident. SIA 'Sevmorgeologia', St. Petersburg. 166 pp. (In Russian)

Ivanov, G.I., I.S. Gramberg and V.D. Kruvov, 1997. Levels of concentrations of pollutants in the near bottom marine environment of the western Arctic Shelf. Transactions (Doklady) of the Russian Academy of Sciences, 355:365–368. (In Russian)

Ivanov, G.I., I.S. Gramberg and T.V. Ponomarenko, 1999. Levels of concentrations of pollutants in the near bottom environment of the Pechora Sea. Transactions (Doklady) of the Russian Academy of Sciences, 365:689–693. (In Russian)

Ivanov, G.I., A.P. Kalenich, A.V. Lastochkin, L.F. Andrianova, A.A. Krylov, T.V. Ponomarenko and E.E. Kondratieva, 2001. Migration of toxic elements in system ore deposits-river-bay-sea. *In:* Secular variations of the Arctic marine ecosystems. Climate, marine periglacial, bioproductivity. Apatity, Murmansk Marine Biological Institute, Kol'sky Scientific Center (MMBI KNC). pp. 201–221. (In Russian)

Iverfeldt, Å., 1991. Mercury in forest canopy throughfall water and its relation to atmospheric deposition. Water, Air, and Soil Pollution, 56:251–265.

Iverfeldt, Å., J. Munthe, C. Brosset and J. Pacyna, 1995. Long-term changes in concentration and deposition of atmospheric mercury over Scandinavia. Water, Air, and Soil Pollution, 80:227–233.

Jensen, J., K. Adare and R. Shearer, 1997. Canadian Arctic Contaminants Assessment Report. Indian and Northern Affairs Canada, Ottawa, Canada.

Jewett, S.C. and S.A Naidu, 2000. Assessment of heavy metals in red king crabs following offshore placer gold mining. Marine Pollution Bulletin, 40:478–490.

Jewett, S.C., X. Zhang, J.J. Kelley, D. Dasher and L.K. Duffy, 2003. Comparison of mercury and methylmercury in northern pike and Arctic grayling from western Alaska rivers. Chemosphere, 50:383–392.

Jickells, T.D., R. Arimoto, L.A. Barrie, T.M. Church, F. Dehairs, F. Dulac, L. Mart, W.T. Sturges, and W.H. Zoller, 1990. The longrange transport of trace elements: four case studies. *In:* A.H. Knap (ed.). The Long-Range Atmospheric Transport of Natural and Contaminant Substances. pp. 177–196. Kluwer Academic Publishers.

Johansen, P. and G. Asmund, 2001. Pollution from mining in Greenland – A review. *In:* H.K. Olsen, L. Lorentzen and O. Rendal (eds.). Mining in the Arctic. Proceedings of the sixth international symposium on mining in the Arctic. pp. 29–35. Nuuk, Greenland, 28–31 May 2001.

Johansson, K., 1989. Metals in sediment of lakes in northern Sweden. Water, Air, and Soil Pollution, 47:441–445.

Johansson, K., M. Aastrup, A. Andersson, L. Bringmark and Å. Iverfeldt, 1991. Mercury in Swedish forest soils and waters – Assessment of critical load. Water, Air, and Soil Pollution, 56:267–282.

Johansson, K., B. Bergbäck and G. Tyler, 2001. Impact of atmospheric long range transport of lead, mercury and cadmium on the Swedish forest environment. Water, Air, and Soil Pollution, Focus 1:279–297.

Juelshamn, K., A. Andersen, O. Ringdale and J. Mørkøre, 1987. Trace elements intake in the Faroe Islands I: Element levels in edible parts of pilot whales (*Globicephalus meleanus*). Science of the Total Environment, 65:53–62.

Kabirov, R.R., 1993. Changes of north forest algae Sinusia under human impact in the Kola region. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceddings of the international workshop on aerial pollution in Kola Peninsula. pp. 268–271. April 14–16, 1992. St. Petersburg.

Kålås, J.A. and S. Lierhagen, 1992. Metal concentrations in the livers of hares, black grouse, and willow ptarmigan in Norway. Norwegian Institute for Nature Research, Trondheim, Norway. Oppdragsmelding 137. 72 pp. (In Norwegian, English summary)

Kålås, J.A., E. Steinnes and S. Lierhagen, 2000. Lead exposure of small herbivorous vertebrates from atmospheric pollution. Environmental Pollution, 107:21–29.

Kämäri, J., P. Joki-Heiskala, J. Christensen, E. Degerman, J. Derome, R. Hoff and A.-M. Kähkönen, 1998. Acidifying pollutants, Arctic haze, and acidifications in the Arctic. *In:* S. Wilson, J. Murray and H. Huntington (eds.). AMAP Assesment Report: Arctic Pollution Issues. pp. 621–660. Arctic Monitoring and Assessment Programme, Olso.

Kataev, G.D., J. Suomela and P. Palokangas, 1994. Densities of microtine rodents along a pollution gradient from a copper-nickel smelter. Oecologia, 97:491–498.

Kelly, C.A., J.W.M. Rudd and M.H. Holoka, 2003. Effect of pH on mercury uptake by an aquatic bacterium: implications for Hg cycling. Environmenatal Science and Technology, 37:2941–2946.

Kelsall, J.P., 1968. The migratory barren-ground caribou of Canada. Canadian Wildlife Service, Ottawa, Canada. 340 pp.

Kennedy, D., 1999. Baseline study of contaminants in Baker Lake. Synopsis of research conducted under the 1998-1999 Northern Contaminants Program, pp. 117–125. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Kharuk, V.I., 2000. The impact of air pollution on the northern taiga forests of the Kola Peninsula, Russian Federation. *In:* J.L. Innes and J. Oleksyn (eds.). Forest dynamics in heavily polluted regions. Report of the International Union of Forest Research Organizations Task Force on Environmental Change, 1. pp.77–86. CAB International, UK.

Kharuk, V.I., K.C. Winterberger, G.M. Tzibulsky, A.P. Yahimovich and S.N. Moroz, 1996. Pollution induced damage of Norilsk valley forests. Ecologiya, 6:424–430.

Kidd, K.A., R.H. Hesslein, R.J.P. Fudge and K.A. Hallard, 1995. The influence of trophic level as measured by delta15N on mercury concentrations in freshwater organisms. Water, Air, and Soil Pollution, 80:1011–1015.

Kim, E.-Y., H. Ichihashi, K. Saeki, G. Atrashkevich, Tanabe, S. and R. Tatsukawa, 1996. Metal accumulation in tissues of seabirds from Chaun, Northeast Siberia, Russia. Environmental Pollution, 92:247–252.

Kimstach, V.A., 1997. Transport of contaminants by the Arctic rivers. The AMAP international symposium on environmental pollution in the Arctic, pp. 31–32. Tromsø.

Kimstach, V., M. Meybeck and E. Baroudy, 1998. Water quality assessment of the former Soviet Union. Routledge, London. 640 pp.

Kislalioglu, M., E. Scherer and R.E. McNicol, 1996. Effects of cadmium on foraging behaviour of lake charr, Salvelinus namaycush. Environmental Biology of Fishes, 46:75–82.

Köck, G., M. Triendl and R. Hofer, 1996. Seasonal patterns of mercury accumulation in Arctic char (*Salvelinus alpinus*) from an oligotrophic lake related to temperature. Canadian Journal of Fisheries and Aquatic Science 53:780-6.

Koerner, R.M., J. Bourgeois, C. Zdanowicz, J. Zheng, G. Lawson, W. Strachan, V. Cheam and L. Savatyugin, 2002. Lead, cadmium and zinc concentrations in Arctic surface snow (1993–1996). P-M12. The second AMAP international symposium on environmental pollution of the Arctic. Arctic Monitoring and Assessment Programme, Oslo.

Kozlov, M.V., 1993. Effects of aerial emission on birch populations. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings on the international workshop on aerial pollution in Kola Peninsula. pp. 267–268. April 14–16, 1992. St. Petersburg.

Kozlov, M.V., E.L. Zvereva and P. Niemelä, 1999. Effects of soil quality and air pollution on rooting and survival of Salix borealis cuttings. Boreal Environment Research, 4:67–76.

Kravtsov, V.A., V.V. Gordeev and V.I. Pashkina, 1994. Labile dissolved forms of heavy metals in the Kara Sea waters. Oceanology, 34:673–680.

Krone, A.C., P.A. Robisch, K.L. Tilbury and J.E. Stein, 1999. Elements in liver tissues of bowhead whales (*Balaena mysticetus*). Marine Mammal Science, 15:123–124.

Kudelin, B.I., 1975. The map of the underground discharge on the USSR territory. Scale 1: 2 500 000. GUK (Glavnoe Upravlenie Kartografii = Central Board of Cartography), Moscow-Leningrad. (In Russian)

Lahermo, P., M. Ilmasti, R. Juntungen and M. Taka, 1990. The Geochemical Atlas of Finland, part 1: The hydrogeochemical mapping of Finnish groundwater. Geological Survey of Finland. 66 pp.

Lahermo, P., P. Väänanen, T. Tarvainen and R. Salminen, 1996. Geochemical Atlas of Finland, part 3: Environmental geochemistry – stream waters and sediments. Geological Survey of Finland. 147 pp.

Lamborg, C.H., W.F. Fitzgerald, J. O'Donnell and T. Torgerson, 2002. A non-steady-state compartmental model of global-scale mercury biogeochemistry with interhemispheric gradients. Geochimica et Cosmochimica Acta, 66:1105–1118.

Landers, D.H., J. Ford, C. Gubala, M. Monetti, B.K. Lasorsa and J. Martinson, 1995. Mercury in vegetation and lake sediments from the U.S. Arctic. Water, Air, and Soil Pollution, 80:591–601.

Landers, D.H., C. Gubala, M. Verta, M. Lucotte, K. Johansson, T. Vlasova and W.L. Lockhart, 1998. Using lake sediment mercury flux ratios to evaluate the regional and continental dimensions of mercury deposition in arctic and boreal ecosystems. Atmospheric Environment, 32:919–928.

Larsen, R.B. and M. Dam, 1999. AMAP Phase I the Faroe Islands. Food and Environmental Agency, Faroe Islands. 70 pp.

Larsen, R.B. and M. Dam, 2003. AMAP Faroe Islands 1997–1998. *In:* Hoydal, K. and M. Dam (eds.). AMAP Greenland and the Faroe Islands 1997–2001. Vol.3. The Environment of the Faroe Islands. Danish cooperation for environment in the Arctic, Ministry of Environment, 265 pp.

Larsen, T.S., J.A. Kristensen, G. Asmund and P. Bjerregaard, 2001. Lead and zinc in sediments and biota from Maarmorilik, West Greenland: an assessment of the environmental impact of mining wastes on an Arctic fjord system. Environmental Pollution, 114:275–283.

Law, R.J., 1996. Metals in marine mammals. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (eds.). Environmental contaminants in wildlife: Interpreting tissue concentrations. pp. 357–376. CRC Press.

Lebedeva, Y.V., 1993. Effects of aerial emission on soil microfungi in the Kola Peninsula. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula. pp. 272–278. April 14–16, 1992. St. Petersburg.

Lentfer, J.W. and A. Galster, 1987. Mercury in polar bears from Alaska. Journal of Wildlife Diseases, 23:338–341.

Leonova, G.A., G.N. Anoshin, V.N. Il'ina, J.O. Badnaev and N.V. Androsova, 2000. Biogeochemical indication of natural and technogenic concentrations of HMs in aquatic ecosystem (on the example of the Ob and Tom rivers). *In:* V.V. Zuev and A.V. El'nikov (eds.). Ecology of poimas of the Siberian rivers and Arctic. pp. 124–131. Proceedings of the second interregional conference, 24–26 November 2000. RAS Publishing House, Tomsk.

Leppänen, S., 2002. Source apportionment of atmospheric heavy metals at Pallas, northern Fennoscandia. Extended abstracts of the second AMAP international symposium on environmental pollution of the Arctic. 1–4 October 2002. Rovaniemi, Finland. P-M09. Arctic Monitoring and Assessment Programme, Oslo.

Lin, C.-J., and S.O. Pehkonen, 1999. The chemistry of atmospheric mercury: A review. Atmospheric Environment, 33:2067–2079.

Lindberg, S.E. and W.J. Stratton, 1998. Atmospheric mercury speciation: Concentrations and behavior of reactive gaseous mercury in ambient air. Environmental Science and Technology, 32:49–57.

Lindberg, S.E., K-H. Kim, T.P. Meyers and J.G. Owens, 1995. A micrometeorological gradient approach for quantifying air/surface exchange of mercury vapor: Tests over contaminated soils. Environmental Science and Technology, 29:126–135.

Lindberg, S.E., S. Brooks, C-J. Lin, K. Scott, T. Meyers, L. Chambers, M. Landis and R. Stevens, 2001. Formation of reactive gaseous mercury in the Arctic: evidence of oxidation of Hgo to gas-phase Hg-II compounds after Arctic sunrise. Water, Air, and Soil Pollution, Focus 1:295–302.

Lindberg, S.E., S.B. Brooks, C-J. Lin, K.J. Scott, M.S. Landis, R.K. Stevens, M. Goodsite and A. Richter, 2002. The dynamic oxidation of gaseous mercury in the Arctic troposphere at polar sunrise. Environmental Science and Technology, 36:1245–1257.

Lisitzyn, A.P., 1995. The marginal filter of the ocean. Oceanology, 34:671–682. Lisitzyn, A.P., 1999. The continental-ocean boundary as a marginal- filter in the world ocean. *In:* J.S. Gray, W. Ambrose Jr. and A. Szaniawska (eds.). Biogeochemical Cycling and Sediment Ecology: NATO AST Series, v. 59. pp. 69–104. Kluwer Academic Publishers.

Lisitzyn, A.P., V.P. Shevchenko, M.V. Vinogradov, O.V. Severina, V.V. Vavilova and L.N. Mitzkevich, 1994. Particle fluxes in the Kara Sea and Ob and Yenisey Estuaries. Oceanology, 34:748–758.

Lithner, G., K. Holm, B. Hörnfelt and T. Odsjö, 1995. Jämförelse av metallhalter hos vanlig näbbmus (*Sorex araneus*) i södra och norra Sverige. ITM-rapport 35. Institutet för tillämpad miljöforskning (ITM), Stockholm University. 35 pp.

Løbersli, E.M. and E. Steinnes, 1988. Metal uptake in plants from a birch forest area near a copper smelter in Norway. Water, Air, and Soil Pollution, 37:25–39.

Locke, L.N. and N.J. Thomas, 1996. Lead poisoning of waterfowl and raptors. *In:* A. Fairbrother, L.N. Locke and G.L. Hoff (eds.). Noninfectious diseases of wildlife, 2nd ed. pp. 108–117. Iowa State University Press.

Lockhart, W.L., 1999. Mercury toxicology in beluga whales. *In:* J. Jensen (ed.). Synopsis of research conducted under the 1997-1998 Northern Contaminants Program. pp. 131-135. Department of Indian Affairs and Northern Development, Ottawa, Canada. 434 pp.

Lockhart, W.L., P. Wilkinson, B.N. Billeck, R.V. Hunt, R. Wagemann and G.J. Brunskill, 1995. Current and historical inputs of mercury to high-latitude lakes in Canada and to Hudson Bay. Water, Air, and Soil Pollution, 80:603–610.

Lockhart, W.L., P. Wilkinson, B.N. Billeck, R.A. Danell, R.V. Hunt, G.J. Brunskill, J. Delaronde and V.S. Louis, 1998. Fluxes of mercury to lake sediments in central and northern Canada inferred from dated sediment cores. Biogeochemistry,

40:163–173.

Lockhart, L., G. Low and M. Evans, 2000a. Mercury in fish from stock surveys of lakes in the western Northwest Territories: Investigations into the factors affecting mercury levels. *In:* S. Kalhok (ed.). Synposis of research conducted under the 1999–2000 Northern Contaminants Program. pp. 181–190. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Lockhart, L., G. Stern and P. Outridge, 2000b. Mercury and other contaminants in a laminated sediment core from Devon Island. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1999–2000 Northern Contaminants Program. pp. 104–112. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Lockhart, W.L., R.W. MacDonald, P.M. Outridge, P. Wilkinson, J.B. DeLaronde and J.W.M. Rudd, 2000c. Tests of the fidelity of lake sediment core records of mercury deposition to known histories of mercury contamination. Science of the Total Environment, 260:171–180.

Lockhart, L., G. Stern, G. Low and M. Evans, 2001a. Mercury in fish from stock surveys of lakes in the western Northwest Territories: Investigation into the factors affecting mercury levels. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 194–201. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Lockhart, W.L., G.A. Stern, P.M. Outridge, R. Wagemann, G. Boila and J. De Laronde, 2001b. Temporal trends of mercury in arctic beluga whale liver. Poster, 6th International Conference on Mercury as a Global Pollutant. Minamata, Japan. October 2001.

Lodenius, M. and S. Autio, 1989. Effects of acidification on the mobilization of cadmium and mercury from soils. Archives of Environmental Contamination and Toxicology, 18:261–267.

Lodenius, M. and J. Malm, 1990. Influence of acidification on the metal uptake in plants. *In:* P. Kauppi, P. Anttila and K. Kenttämies (eds.). Acidification in Finland. pp. 495–503. Springer-Verlag.

Long, E.R., D.D. MacDonald, S.L. Smith and F.D. Calder, 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. Environmental Management, 19:81–97.

Loon, L.V., E. Mader and S.L. Scott, 2000. Reduction of the aqueous mercuric ion by sulfite: UV spectrum of HgSO3 and its intramolecular redox reaction. Journal of Physical Chemistry, 104:1621–1626.

Loring, D.H., 1984. Trace metal geochemistry of sediments from Baffin Bay. Canadian Journal of Earth Science, 21:1368–1378.

Loring, D.H. and G. Asmund, 1996. Geochemical factors controlling accumulation of major and trace elements in Greenland coastal and fjord sediments. Environmental Geology, 28:2–11

Loring, D.H., K. Næs, S. Dahle, G.G. Matishov and G. Illin, 1995. Arsenic, trace metals, and organic microcontaminants in sediments from the Pechora Sea, Russia. Marine Geology, 128:153–167.

Loughlin, T.R., A.S. Perlov and V.A. Vladimirov, 1992. Range-wide survey and estimation of total numbers of Steller sea lions in 1989. Marine Mammal Science, 8:220–239.

Loukola-Ruskeeniemi, K., M. Kantola, T. Halonen, K. Seppänen, P. Henttonen, E. Kallio, P. Kurki and H. Savolainen, 2003. Mercury- bearing black shales and human Hg intake in eastern Finland: impact and mechanisms. Environmental Geology, 43:283–298.

Lu, J.Y., W.H. Schroeder, L. Barrie, A. Steffen, H. Welch, K. Martin, L. Lockhart, R. Hunt, G. Boila and A. Richter, 2001. Magnification of atmospheric mercury deposition to polar regions in springtime: the link to tropospheric ozone depletion chemistry. Geophysical Research Letters, 28:3219–3222.

Lukina, N. and V. Nikonov, 1995. Acidity of podzolic soils subjected to sulphur pollution near a Cu-Ni smelter at the Kola Peninsula. Water, Air, and Soil Pollution, 85:1057–1062.

Lukina, N.V., L.A. Liseenko and E.A. Belova, 1993. Pollution-induced changes in the vegetation cover of spruce and pine ecosystems in the Kola North region. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula. pp. 312–321. April 14–16, 1992. St. Petersburg.

Ma, W.-C., 1996. Lead in Mammals. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (ed.). Environmental contaminants in wildlife: interpreting tissue concentrations. pp.281–296. CRC Press.

Macdonald, C.R., B.T. Elkin, P. Roach, M. Gamberg and M. Palmer, 2002. Inorganic elements in caribou in the Yukon, NWT, and Nunavut from 1992 to 2000. Spatial and temporal trends and the effect of modifying factors. Environment Canada, unpublished report. February 2002, 32 pp.

Macdonald, R.W., S.M. Solomon, R.E. Cranston, H.E. Welch, M.B. Yunker and C. Gobeil, 1998. A sediment and organic carbon budget for the Canadian Beaufort Shelf. Marine Geology, 144:255–273.

Macdonald, R.W., L.A. Barrie, T.F. Bidleman, M.L. Diamond, D.J. Gregor, R.G. Semkin, W.M.J. Strachan, Y.F. Li, F. Wania, M. Alaee, L.B. Alexeeva, S.M. Backus, R. Bailey, J.M. Bewers, C. Gobeil, C.J. Halsall, T. Harner, J.T. Hoff, L.M.M. Jantunen, W.L. Lockhart, D. Mackay, D.C.G. Muir, J. Pudykiewicz, K.J. Reimer, J.N. Smith, G.A. Stern, W.H. Schroeder, R. Wagemann and M.B. Yunker, 2000. Contaminants in the Canadian Arctic: 5 years of progress in understanding sources, occurrence and pathways. Science of the Total Environment, 254:93–234.

Macdonald, R.W., T. Harner, J. Fyfe, H. Loeng and T. Weingartner, 2003. AMAP Assessment 2002: The Influence of Global Change on Contaminant Pathways to, within, and from the Arctic. Arctic Monitoring and Assessment Programme, Oslo. xii+65 pp.

Mähönen, O., 2002. AMAP II – Lapin ympäristön tila ja ihmisen terveys. Suomen ympäristö 581. Lapin Ympäristökeskus. Rovaniemi 2002. 139 pp. (In Finnish)

Mannio, J., 2001. Responses of headwater lakes to air pollution changes in Finland. Monographs of the Boreal Environment Research, 18:48.

Mannio, J., P. Porvari, T. Vartiainen, A. Witick, K. Kinnunen and M. Verta, 1997. Lake sediments as indicators of airborne pollution in Lapland. AMAP symposium on environmental pollution in the Arctic. pp. 410–412. June 1–5, 1997, Tromsø.

Mart, L., 1983. Seasonal variations of Cd, Pb, Cu and Ni levels in snow from the eastern Arctic Ocean. Tellus, 35B:131–141.

Martin, J.-M. and V.V. Gordeev, 1986. River input to ocean systems: a reassessment. Estuarine Processes: An Application to the Tagus Estuary. pp. 203–240. Proceedings UNESCO/IOC/CNA workshop, United Nations Educational, Scientific and Cultural Organization (UNESCO), Paris.

Martin, J.-M., D.M. Guan, F. Elbaz-Poulichet, A.J. Thomas and V.V. Gordeev, 1993. Preliminary assessment of the distributions of some trace elements (As, Cd, Cu, Fe, Ni, Pb and Zn) in a pristine aquatic environment: the Lena River estuary (Russia). Marine Chemistry, 43:185–200.

Maslanik, J.A., M.C. Serreze and R.G. Barry, 1996. Recent decreases in Arctic summer ice cover and linkages to atmospheric circulation anomalies. Geophysical Research Letters, 23:1677–1680.

Maslanik, J.A., M.C. Serreze and T. Agnew, 1999. On the record reduction in 1998 western arctic sea-ice cover. Geophysical Research Letters, 26:1905–1908.

Mason, A.Z. and K.D. Jenkins, 1995. Metal detoxification on aquatic organisms. *In:* A. Tessier and D.R. Turner (eds.). Metal speciation and bioavailability in aquatic systems. pp. 479–608. John Wiley & Sons.

Mason, R.P. and W.F. Fitzgerald, 1996. Sources, sinks and biogeochemical cycling of mercury in the ocean. *In:* W.R.G. Baeyens, O. Vasiliev and R. Ebinghaus (eds.). Global and regional mercury cycles: sources, fluxes and mass balances. pp. 249–272. Kluwer Academic Publishers.

Mason, R.P., W.F. Fitzgerald and F.M.M. Morel, 1994. The biogeochemical cycling of elemental mercury: Anthropogenic influences. Geochimica et Cosmochimica Acta, 58:3191–3198.

Meador, J.P., R.C. Clark Jr., P.A. Robish, D.W. Ernest, J.T. Landahl, U. Varanasi, S-L Chan and B. McCain, 1994. National Benthic Surveillance Project: Pacific Coast. Trace element analyses for cycles I to V (1984–1988). NOAA Technical Memorandum NMFS-NWFSC-16. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. 206 pp.

Melnikov, S.A., 1991. Report on heavy metals. The State of the Arctic Environment Report. pp. 82–153. University of Lapland, Rovaniemi.

Melnikov, S.A., S.V. Vlasov and A.N. Gorshkov, 2002. Final report on the Raipon/AMAP/GEF project Persistent toxic substances, food security and indigenous peoples of the Russian North, Activity 4. Study of biomagnification in Arctic food chains.

Mercier, G., C. Gariepy, L.A. Barrie and A. Simonetti, 1999. Source discrimination of atmospheric aerosols at Alert, Arctic Canada during 1994–1995 using a year-long record of lead-isotopic and trace-element data. 9th Annual Goldschmidt Conference. Harvard University, August 1999, USA. pp. 197–198.

Merrick, R.L., 1995. The relationship of foraging ecology of Steller sea lions (*Eumetopias jubatus*) to their population decline in Alaska. Ph.D. Thesis. University of Washington. 175 pp.

Merrick, R.L., T.R. Loughlin and D.G. Calkins, 1987. Decline in abundance of the northern sea lion, Eumetopias jubatus, in Alaska, 1956–86. Fishery Bulletin, 85:351–365.

Merrill, J.C., J.J.P. Morton and S.D. Soileau, 2001. Metals. *In:* A.W. Hayes (ed.). Principles and methods of toxicology. pp. 649–698. Taylor and Francis, London.

Metinfo, 2003. Forest information services. Research-based, forestrelated information services and expert systems. [Online]. [1 December 2003]. Available from World Wide Web: www.metla.fi/metinfo.

Moiseenko, T.I., 1999. The fate of metals in arctic surface waters. Method for defining critical levels. Science of the Total Environment, 236:19–39.

Moiseenko, T.I. and L.P. Kudryavtseva, 2001. Trace metal accumulation and fish pathologies in areas affected by mining and metallurgical enterprises in the Kola Region, Russia. Environmental Pollution, 104:285–297.

Moiseenko, T.I., V.A. Dauvalter and I.V. Rodushkin, 1998. Mechanisms of circulation of natural and anthropogenic metals in the surface waters of the Arctic basin. Water Resources, 25:231–243.

Møller, P., E.W. Born, R. Dietz, T. Haug, D. Ruzzante and N. Øien, 2003. Regional differences in fatty acid composition in common minke whales (*Balaenoptera acutorostrata*) from the North Atlantic. Journal of Cetacean Research Management, 5:115–124.

Monni, S., M. Salemaa and N. Millar, 2000. The tolerance of Empetrum nigrum to copper and nickel. Environmental Pollution, 109:221–229.

Monni, S., C. Uhlig, E. Hansen and E. Magel, 2001. Ecophysiological responses of Empterum nigrum to heavy metal pollution. Environmental Pollution, 112:121–129.

Monteiro, L.R., J.P. Granadeiro and R.W. Furness, 1998. Relationship between mercury levels and diet in Azores seabirds. Marine Ecology Progress Series, 166:259–265.

Moore, R.M., 1981. Oceanographic distributions of zinc, cadmium, copper and aluminum in waters of the central Arctic. Geochimica et Cosmochimica Acta, 45:2475–2482.

Moore, R.M., M.G. Lowings and F.C. Tan, 1983. Geochemical profiles in the central Arctic Ocean: their relation to freezing and shallow circulation. Journal of Geophysical Research, 88:2667–2674.

Moran, S.B. and W.L. Woods, 1997. Cd, Cr, Cu, Ni and Pb in the water column and sediments of the Ob-Irtysh rivers, Russia. Marine Pollution Bulletin, 35:270–279.

Morison, J., K. Aagaard and M. Steele, 2000. Recent environmental changes in the Arctic: A review. Arctic, 53:359–371.

Mueller, K.A., E. Snyder-Conn and P.O. Scannell, 1995. Contaminant baseline data for water, sediments, fish, and mammals of the Kanuti National Wildlife Refuge, Alaska, 1985–1990. Fish and Wildlife Service, Fairbanks, USA.

Muir, D.C.G. and W.L. Lockhart, 1994. Contaminant trends in freshwater and marine fish. *In:* J.L. Murray and R.G. Shearer (eds.). Synopsis of research conducted under the 1993-1994 Northern Contaminants Program, Environmental Studies Report, No. 72. pp. 264–271. Department of Indian Affairs and Northern Development, Ottawa.

Muir, D.C.G., R. Wagemann, N.P. Grift, R.J. Norstrom, M. Simon and J. Lien, 1988. Organochlorine and heavy metal contaminants in white-beaked dolpins (*Lagenorhynchus albirostris*) and pilot whales (*Globicephala melaena*) from the coast of Newfoundland, Canada. Archives of Environmental Contamination and Toxicology, 17:613–629.

Muir, D.C.G., M.D. Segstro, K.A. Hobson, C.A. Ford, R.E.A. Stewart and S. Olpinski, 1995. Can seal eating explain elevated levels of PCBs and organochlorine pesticides in walrus blubber from eastern Hudson Bay (Canada). Environmental Pollution, 90:335–348.

Muir, D., B. Braune, B. DeMarch, R. Norstrom, R. Wagemann, L. Lockhart, B. Hargrave, D. Bright, R. Addison, J. Payne and K. Reimar, 1999a. Spatial and temporal trends and effects of contaminants in the Canadian Arctic marine ecosystem: a review. Science of the Total Environment, 230:83–144.

Muir, D., M. Kwan and J. Lampe, 1999b. Spatial trends and pathways of POPs and metals in fish, shellfish and marine mammals of northern Labrador and Nunavik. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1998-1999 Northern Contaminants Program. pp. 165–171. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Muir, D., M. Kwan and J. Lampe, 2000. Spatial trends and pathways of persistent organic pollutants and metals in fish, shellfish and marine mammals of Northern Labrador and Nunavik. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1999–2000 Northern Contaminants Program. pp. 191–201. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Muir, D., A. Fisk and M. Kwan, 2001a. Temporal trends of persistent organic pollutants and metals in ringed seals from the Canadian Arctic. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 208–214. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Muir, D., G. Köck, J. Reist and D. Bright, 2001b. Temporal trends of persistent organic pollutants and metals in landlocked char. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 202–207. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Muirhead, S. J. and R.W. Furness, 1988. Heavy metal concentrations in the tissues of seabirds from Gough Island, South Atlantic Ocean. Marine Pollution Bulletin, 19:278–283.

Munthe, J., 2000. Mercury species over Europe: Relative importance of depositional methylmercury fluxes to various ecosystems. ELOISE Implementation Report. Phase 2. European Commission Ecosystems Research Report 33. Brussels.

Murmansk Region Committee of Ecology and Natural Resources, 1995. Review of pollutant fallouts in the atmosphere on the territory of the Murmansk region in 1994. Murmansk, Russia.

Murozumi, M., T.J. Chow and C.C. Patterson, 1969. Chemical concentrations of pollutant lead aerosols, terrestrial dusts and sea salts in Greenland and Antarctic snow strata. Geochimica et Cosmochimica Acta, 33:1247–1294.

Murray, J.W., 1991. Ecology and paleoecology of benthic Foraminifera. Longman, Harlow, 397 pp. Nagy, J. and E. Alve, 1987. Temporal changes in foraminiferal faunas and impact of pollution in Sandebukta, Oslo Fjord. Marine Micropaleontology, 12:109–128.

Naidu, A.S., 1982. Aspects of size distributions, clay mineralogy and geochemistry of sediments of the Beaufort Sea and adjacent deltas, North Arctic Alaska. National Oceanic and Atmospheric Administration, Outer Continental Shelf Environmental Assessment Program Office, Boulder, USA.

Naidu, A.S., A. Blanchard, J.J. Kelley and J.J. Goering, 1997. Heavy metals in Chukchi Sea sediments as compared to selected circum-arctic shelves. Marine Pollution Bulletin, 35:260–269.

Naidu, S.A., J.J. Goering and J.J. Kelley, 1998. Historical changes in trace metals and hydrocarbons in the inner shelf sediments, Beaufort Sea: prior and subsequent to petroleum-related industrial developments. OCS Study MMS 98-0062. Annual Report, Federal Fiscal Year 1998. pp. 17–39. University of Alaska-Fairbanks.

Naidu, A.S., J.J. Kelley, X. Zhang, S.C. Jewett, L.K. Duffy, D. Dasher and J.M. Kennish, 2001a. Total and methyl mercury in adult salmon (*Oncorhynchus* spp.) and selected freshwater fishes from rivers opening into the East Bering Sea, Alaska. International workshop on trends and effects of heavy metals in the Arctic, 18–22 June 2001. McLean, USA. AMAP Report

2001:3. pp. B43–B45.
Naidu, S.A., J.J. Goering and J.J. Kelley, 2001b. Historical changes in trace metals and hydrocarbons in the inner shelf sediments, Beaufort Sea: Prior and subsequent to petroleum-related industrial developments. OCS Study MMS 2001–061, Final Report. University of Alaska-Fairbanks, 80 pp.
Nalewajko, C., 1995. Effects of cadmium and metal-contaminated sediments on photosynthesis, heterotrophy, and phosphate uptake in Mackenzie River Delta phytoplankton. Chemosphere, 30:1401–1414.
Nash, T.H. and C. Gries, 1995. The use of lichens in atmospheric deposition studies with an emphasis on the Arctic. Science of the Total Environment, 160/161:729–736.
Nelson, H., B.R. Larsen, E.A. Jenne and D.H. Sorg, 1977. Mercury dispersal from lode sources in the Kuskokwim River drainage, Alaska. Science, 198:820–824.
Neshatayev, V.Y. and V.Y. Neshatayeva, 1993. Birch forests of the Lapland state reserve. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula. April 14–16, 1992. pp. 328–338. St. Petersburg.
Nicholson, J.K. and D. Osborn, 1983. Kidney lesions in pelagic seabirds with high tissue levels of cadmium and mercury. Journal of Zoology, 200:99–118.
Nielsen, C.O. and R. Dietz, 1989. Heavy metals in Greenland seabirds. Meddr Grønæand, Bioscience, 29:1–26.
Niskavaara, H., C. Reimann, V. Chekushin and G. Kashulina, 1997. Seasonal variability of total and easily leachable element contents in topsoils (0-5cm) from eight catchments in the European arctic (Finland, Norway, and Russia). Environmental Pollution, 96:261–274.
Njåstad, O., E. Steinnes, B. Bølviken and M. Ødegård, 1994. National survey of element composition in natural soil. Results for samples collected in 1977 and 1985 obtained by ICP Emission Spectrometry. Report NGU 94.027. Geological Survey of Norway, Trondheim. 113 pp. (In Norwegian)
Nöjd, P., 1996. Effects of emissions from the nickel-copper smelter in Monchegorsk, northwestern Russia, on the radial growth of Scots pine. Finnish Forest Research Institute, Research Papers, 615:1–52.
Nolting, R.F., M. van Dalen and W. Helder, 1996. Distribution of trace and major elements in sediment and pore waters of the Lena Delta and Laptev Sea. Marine Chemistry, 53:285–300.
Nordgren, A., T. Kauri, E. Bååth and B. Söderström, 1986. Soil microbial activity, mycelial lengths and physiological groups of bacteria in a heavy metal polluted area. Environmental Pollution (Series A), 41:89–100.
NRC, 1980. Mineral tolerance of domestic animals. National Research Council, National Academy of Sciences Press, Washington, D.C. 577 pp.
Nriagu, J.O., 1989. A global assessment of natural sources of atmospheric trace metals. Nature, 338:47–49.
Nriagu, J. and C. Becker, 2003. Volcanic emissions of mercury to the atmosphere: global and regional inventories. Science of the Total Environment, 304:3–12.
Nriagu, J.O. and J.M. Pacyna, 1988. Quantitative assessment of world wide contamination of air, water and soil with trace metals. Nature, 333:134–139.
Nygård, T., 1997. Temporal and spatial trends of pollutants in birds in Norway: Birds of prey and willow grouse used as biomonitors. Ph.D. Thesis. Norwegian University of Science and Technology, Trondheim.
Nygård, T., 2000. Trace elements in the humus layer in natural soil in Norway. Thesis. Norwegian University of Science and Technology.
Nyholm, N.E.I. and Å. Rühling, 2001. Effects of decreased atmospheric heavy metal deposition in south Sweden on terrestrial birds and small mammals in natural populations. Water, Air, and Soil Pollution, Focus 1:439–448.
Odsjö, T., 2003. Time trends of metals in liver and muscle of reindeer (*Rangifer tarandus*) from northern and central Lapland, Sweden, 1983–2001. Swedish monitoring programme in terrestrial biota. Swedish Museum of Natural History, Report 2003-04-23, 29 pp.
Odsjö, T., A. Bignert, S. Baez, V. Galgan, L. Petersson and T. Mörner, 2001. Time trends of metals in organs of moose (*Alces alces*) from Sweden, 1990–1999. Status report to Swedish Environmental Protection Agency. Contracts 219 001, 221 0030, 221 0038, 2001-05-31. 44 pp.
O'Hara, T.M., J.C. George, J. Blake, K.A. Burek, G. Carroll, J. Dau, L. Bennett, C.P. McCoy, P. Gerard and V. Woshner, 2003. Investigation of heavy metals in a large mortality event in caribou of northern Alaska. Arctic, 56:125–135.
Økland, R.H., E. Steinnes and T. Økland, 1997. Element concentrations in the boreal forest moss, Hylocomium splendens: variation due to segment size, branching patterns, and pigmentation. Journal of Bryology, 19:671–684.
Økland, T., R.H. Økland and E. Steinnes, 1999. Element concentrations in the boreal forest moss Hylocomium splendens: variation related to gradients in vegetation and local environmental factors. Plant and Soil, 209:71–83.
Oleksyn, J. and J.L. Innes, 2000. Air pollution and forests in heavily industrialized regions: an introduction. *In:* J.L. Innes and J. Oleksyn (eds.). Forest dynamics in heavily polluted regions. Report of the International Union of Forest Research Organizations Task Force on Environmental Change, 1. pp. 1–7. CAB International, UK.
Olsen, J., Hoydal, K. and Dam, M. 2003. AMAP Faroe Islands 1999–2001 Heavy metals. *In:* Hoydal, K. and M. Dam, (eds.). AMAP Greenland and the Faroe Islands 1997–2001. Vol 3. The Environment of the Faroe Islands. 265 pp. Olsson, K., 1999. Uptake, re-distribution and release of contaminants by sea ice. Akvaplan-niva. report no: APN- 414.1672.001.99, Tromsø, 19 pp.
ORNL, 1997a. Toxicological benchmarks for contaminants of potential concern for effects on soil and litter invertebrates and heterotrophic process. 1997 revision. Oak Ridge National Laboratories, 110 pp.
ORNL, 1997b. Toxicological benchmarks for screening contaminants of potential concern for effects on terrestrial plants. 1997 revision. Oak Ridge National Laboratories, 128 pp.
Outridge, P.M., R.D. Evans, R. Wagemann and R.E.A. Stewart, 1997. Historical trends of heavy metals and stable lead isotopes in beluga (*Delphinapterus leucas*) and walrus (*Odobenus rosmarus rosmarus*) in the Canadian Arctic. Science of the Total Environment, 203:209–219.
Outridge, P.M., R. McNeely and A.S. Dyke, 2000. Historical trends of stable lead isotopes, mercury and other trace metals in marine bivalve shells from the Canadian Arctic. 13th international conference on heavy metals in the environment. August 2000. (Abstract available on CD-Rom), Michigan, USA.
Outridge, P.M., M.H. Hermanson and W.L. Lockhart, 2002a. Regional variations in atmospheric deposition of anthropogenic lead across the Canadian Arctic. Geochimica et Cosmochimica Acta, 66:3521–3531.
Outridge, P.M., K.A. Hobson, R. McNeely and A. Dyke, 2002b. A comparison of modern and preindustrial levels of mercury in the teeth of beluga in the Mackenzie Delta, Northwest Territories, and walrus at Igloolik, Nunavut, Canada. Arctic, 55:123–132.
Outridge, P.M., G.A. Stern, P.B. Hamilton, J.B. Percival, R.W. McNeely and W.L. Lockhart, 2005. Trace element profiles in a varved Arctic lake sediment. Geochimica et Cosmochimica Acta, 69(20):4881-4894.
Pacyna, J.M. and G.J. Keeler, 1995. Sources of mercury in the arctic. Water, Air, and Soil Pollution, 80:621–632.
Pacyna, J.M. and E.G. Pacyna, 2000. Atmospheric emissions of anthropogenic lead in Europe. Improvements, updates, historical data and projections. Technical Report for GKSS Research Center, GKSS 2000/31, Geesthacht, Germany.
Pacyna, J.M. and E.G. Pacyna, 2001. An assessment of global and regional emissions of trace metals to the atmosphere from anthropogenic sources worldwide. Environmental Review, 4:269–298.
Pacyna, E.G. and J.M. Pacyna, 2002. Global emission of mercury from anthropogenic sources in 1995. Water, Air, and Soil Pollution, 137:143–165.
Pacyna, J.M., A. Semb and J.E. Hanssen, 1984. Emission and long-range transport of trace elements in Europe. Tellus, 36B:163–174.
Pacyna, J.M., B. Ottar, V. Vitols and K. Arnesen, 1985. Aircraft measurements of air pollution in the Norwegian Arctic. Appen-

dices A, B, C and D. Norwegian Institute for Air Research, NILU OR 67/85.

Pacyna, J.M., B.D. Shin and P. Pacyna, 1993. Global emissions of lead. Atmospheric Environment Service. Environment Canada, Ottawa, Canada.

Pacyna, J.M., M.T. Scholtz and Y.-F. Li, 1995. Global budget of metal sources. Canadian Journal of Environmental Reviews, 2:145–159.

Page, A.L. and E. Steinnes, 1990. Atmospheric deposition as a source of trace elements in soils. Palaeogeography, Palaeoclimatology, Palaeoecology (Global and Planetary Change Section), 82:141–148.

Pain, D.J., 1996. Lead in waterfowl. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (eds.). Environmental contaminants in wildlife: Interpreting tissue concentrations. pp. 251–264. CRC Press.

Parker, G.R., 1978. The diets of muskoxen and Peary caribou on some islands in the Canadian High Arctic. Canadian Wildlife Service Occasional Paper, 35:1–21.

Pattee, O.H., 1984. Eggshell thickness and reproduction in American kestrels exposed to chronic dietary lead. Archives of Environmental Contamination and Toxicology, 13:29–34.

Patterson, C.C., 1971. Native copper, silver and gold accessible to early metallurgists. American Antiquity, 36:286–321.

Patterson, C.C. and D.M. Settle, 1987. Review of data on eolian fluxes of industrial and natural Pb to the lands and seas in remote regions on a global scale. Marine Chemistry, 22:137–162.

Peakall, D., 1992. Animal biomarkers as pollution indicators. Chapman and Hall, London. 291 pp.

Peakall, D.B., D.G. Noble, J.E. Elliott, J.D. Somers and G. Erickson, 1990. Environmental contaminants in Canadian peregrine falcons, Falco peregrinus: A toxicological assessment. Canadian Field Naturalist, 104:244–254.

Pedersen, H.C. and F. Fossøy, 2000. Accumulation of heavy metals in circumpolar willow ptarmigan populations. Monitoring program for terrestrial ecosystems. NINA oppdragsmelding, 646:1–31.

Petersen, G., J. Munthe, K. Pleijel, R. Bloxam and A. Vinod Kumar, 1998. A comprehensive eulerian modelling framework for airborne mercury species: development and testing of the tropospheric chemistry module (TCM). Atmospheric Environment, 32:829–843.

Peterson, B.J. and B. Fry, 1987. Stable isotopes in ecosystem studies. Annual Review of Ecological Systems, 18:293–320.

Pfirman, S.L., H. Eicken, D. Bauch and W.F. Weeks, 1995. The potential transport of pollutants by Arctic sea ice. Science of the Total Environment, 159:129–146.

Phillips, D.J.H., 1976. The common mussel Mytilus edulis as an indicator of pollution by zinc, cadmium, lead and copper. I. Effects of environmental variables on uptake of metals. Marine Biology, 38:59–69.

Pirrone, N., 2000. The Mediterranean atmospheric mercury cycle system (MAMCS). *In:* N. Pirrone (ed.). ELOISE Implementation Report. Phase 2. University of Calabria, Italy. 250 pp.

Pitcher, K.W., D.G. Calkins and G.W. Pendleton, 1998. Reproductive performances of female Steller sea lions: an energeticsbased reproductive strategy? Canadian Journal of Zoology, 76:2075–2083.

Playle, R.C., 1998. Modelling metal interactions at fish gills. Science of the Total Environment, 219:147–163.

Pohl, C., G. Kattner and M. Schulz-Baldes, 1993. Cadmium, copper, lead and zinc on transects through Arctic and Eastern Atlantic surface and deep waters. Journal of Marine Systems, 4:17–29.

Porvari, P., 1998. Development of fish mercury concentrations in Finnish reservoirs from 1979 to 1994. Science of the Total Environment, 213:279–290.

Porvari, P. and M. Verta, 1998. Mercury and methylmecury in Finnish reservoirs and in Kemijoki darainage basin. Finnish Environment Report No. 175. 59 pp.

Puckett, K.J. and E.J. Finegan, 1980. An analysis of the element content of lichens from the Northwest Territories, Canada. Canadian Journal of Botany, 58:329–342.

Rachold, V., 1999. Major, trace and rare earth element geochemistry of suspended particulate material of East Siberian rivers draining to the Laptev Sea. *In:* H. Kassens, H.A. Bauche, I.A. Dmitrenko, H. Eicken, H.-W. Hubberten, M.Melles, J. Thiede and L.A. Timokhov, (eds.). Land-ocean systems in the Siberian Arctic: dynamics and history. pp. 199–222. Springer.

Rachold, V., A. Alabyan, H.-W. Hubberten, V.N. Korotaev and A.A. Zaitsev, 1996. Sediment transport to the Laptev Sea: hydrology and geochemistry of the Lena River. Polar Research, 15:183–196.

Rahn, K.A., 1981. Atmospheric, riverine and oceanic sources of seven trace constituents to the Arctic Ocean. Atmospheric Environment, 15:1507–1516.

Räisänen, M.L., G. Kashulina and I. Bogatyrev, 1997. Mobility and retention of heavy metals, arsenic and sulphur in podzols at eight locations in northern Finland and Norway and the western half of the Russian Kola Peninsula. Journal Geochemical Exploration, 59:175–195.

Regoli, F., H. Hummel, C. Amiard-Triquet, C. Larroux and A. Sukhotin, 1998. Trace metals and variations of antioxidant enzymes in arctic bivalve populations. Archives of Environmental Contamination and Toxicology, 35:594–601.

Regoli, R., M. Nigro, S. Bompadre and G.W. Winston, 2000. Total oxidant scavenging capacity (TOSC) of microsomal and cytosolic fractions from Antarctic, Arctic and Mediterranean scallops: differentiation between three potent oxidants. Aquatic Toxicology, 49:13–25.

Reimann, C. and P. de Caritat, 2000. Intrinsic flaws of element enrichment factors (EFs) in environmental geochemistry. Environmental Science and Technology, 34:5084–5091.

Reimann, C., R. Boyd, P. de Caritat, J.H. Halleraker, G. Kashulina, H. Niskavaara and I. Bogatyrev, 1997a. Topsoil (0–5 cm) composition in eight arctic catchments in northern Europe (Finland, Norway and Russia). Environmental Pollution, 95:45–56.

Reimann, C., P. de Caritat, J.H. Halleraker, T.E. Finne, R. Boyd, O. Jaeger, T. Volden, G. Kashulina, I. Bogatyrev, V. Chekushin, V. Pavlov, M. Ayras, M.L. Raisanen and H. Niskavaara, 1997b. Regional atmospheric deposition patterns of Ag, As, Bi, Cd, Hg, Mo, Sb and I in a 188,000 km2 area in the European Arctic as displayed by terrestrial moss samples – long-range atmospheric transport vs local impact. Atmospheric Environment, 31:3887–3901.

Reimann, C., P. de Caritat, J.H. Halleraker, T. Volden, M. Ayras, H. Niskavaara, V.A. Chekushin and V. Pavlov, 1997c. Rainwater composition in eight arctic catchments in northern Europe (Finland, Norway and Russia). Atmospheric Environment, 31:159–170.

Reimann, C., P. de Caritat, H. Niskavaara, T.E. Finne, G. Kashulina and V. Pavlov, 1998. Comparison of elemental contents in Oand C- horizon soils from the surroundings of Nikel, Kola Peninsula, using different grain size fractions and extractions. Geoderma, 84:65–87.

Reimann, C., F. Koller, G. Kashulina, H. Niskavaara and P. Englmaier, 2001a. Influence of extreme pollution on the inorganic chemical composition of some plants. Environmental Pollution, 115:239–252.

Reimann, C., F. Koller, B. Frengestad, G. Kashuylina, H. Niskavaara and P. Englmaier, 2001b. Comparison of the element composition in several plant species and their substrate from 1 500 000 km2 area in Northern Europe. Science of the Total Environment, 278: 87–112.

Review, 1996 . Review of the environment pollution in Russian Federation in 1995. Federal Service for hydrometeorology and monitoring of the environment. Roshydromet. Moscow. 274 pp. Review, 2000.

Review of the environment pollution in Russian Federation in 1999. Federal Service for hydrometeorology and monitoring of the environment. Roshydromet. Moscow. 104 pp.

Richardson, M.E., M.R.S. Fox and B.E. Fry, 1974. Pathological changes produced in Japanese quail by ingestion of cadmium. Journal of Nutrition, 104:323–338.

Richter, A., F. Wittrock, M. Eisinger and J.P. Burrows, 1998. GOME observations of tropospheric BrO in northern hemispheric spring and summer 1997. Geophysical Research Letters, 25:2683–2687.

Riget, F. and R. Dietz, 2000. Temporal trends of cadmium and mercury in Greenland marine biota. Science of the Total Environment, 245:49–60.

Riget, F., P. Johansen and G. Asmund, 1996. Influence of length on

element concentrations in blue mussels (*Mytilus edulis*). Marine Pollution Bulletin, 32:745–751.

Riget, F., R. Dietz and P. Johansen, 1997a. Zinc, cadmium, mercury and selenium in Greenland fish. Meddr. Grønland Bioscience, 48:29 pp.

Riget, F., P. Johansen and G. Asmund, 1997b. Uptake and release of lead and zinc by blue mussels. Experience from transplantation experiments in Greenland. Marine Pollution Bulletin, 34(10):805–815.

Riget, F., G. Asmund and P. Aastrup, 2000a. Mercury in Arctic char (*Salvelinus alpinus*) populations from Greenland. Science of the Total Environment, 245:161–172.

Riget, F., G. Asmund and P. Aastrup, 2000b. The use of lichen (*Cetraria nivalis*) and moss (*Rhacomitrium lanuginosum*) as monitors for atmospheric deposition in Greenland. Science of the Total Environment, 245:137–148.

Riget, F., R. Dietz and M. Cleemann, 2000c. Evaluation of the Greenland AMAP programme 1994–1995, by the use of power analysis (illustrated by selected heavy metals and POPs). Science of the Total Environment, 245:249–259.

Riget, F., E. Jeppesen, F. Landkildehus, T.L. Lauridsen, P. Geertz-Hansen, K. Christoffersen and H. Sparholt, 2000d. Landlocked Arctic char (*Salvelinus alpinus*) population structure and lake morphology in Greenland – is there a connection? Polar Biology, 23:550–558.

Riget, F., R. Dietz, P. Johansen and G. Asmund, 2000e. Lead, cadmium, mercury and selenium in Greenland marine biota and sediments during AMAP Phase 1. Science of the Total Environment, 245:3–14.

Riget, F., R. Dietz, P. Møller, M. Glasius, P. Pallsbøl and K. Hobson, 2002. Population structure of West Greenland narwhals. National Environmental Research Institute, Denmark. NERI Technical Report 400, 53 pp.

Rigina, O. and M.V. Kozlov, 2000. The impact of air pollution on the northern taiga forests of the Kola Peninsula, Russian Federation. *In:* J.L. Innes and J. Oleksyn (eds.). Forest dynamics in heavily polluted regions. Report of the International Union of Forest Rearch Organizations Task Force on Environmental Change, 1. pp. 37–66. CAB International, UK.

Rigina, O., A. Baklanov, O. Hagner and H. Olsson, 1999. Monitoring of forest damage in the Kola Peninsula, northern Russia, due to smelting industry. Science of the Total Environment, 229:147–163.

Ritterhoff, J. and G.P. Zauke, 1997. Influence of body length, life-history status and sex on trace metal concentrations in selected zooplankton collectives from the Greenland Sea. Marine Pollution Bulletin, 34:614–21.

Ritterhoff, J. and G.P. Zauke, 1998. Potential role of metal-binding proteins in cadmium detoxification in *Themisto libellula* (mandt) and *Themisto abyssorum boeck* from the Greenland Sea. Marine Environmental Research, 45:179–91.

Robillard, S., G. Beauchamp, G. Paillard and D. Belanger, 2002. Levels of cadmium, lead, mercury and 137caesium in caribou (*Rangifer tarandus*) tissues from Northern Québec. Arctic, 55:1–9.

Rognerud, S. and E. Fjeld, 2001. Trace element contamination of Norwegian lake sediments. Ambio, 30:11–19. Rognerud, S., T. Skotvold, E. Fjeld, S. Norton and A. Hobæk, 1998. Concentrations of trace elements in recent and preindustrial sediments from Norwegian and Russian Arctic lakes. Canadian Journal of Fisheries and Aquatic Sciences, 55:1512–1523.

Roos-Barraclough, F., A. Martinez-Cortizas, E. Garcia-Rodeja and W. Shotyk, 2002. A 14,500 year record of the accumulation of atmospheric mercury in peat: volcanic signals, anthropogenic influences, and a correlation to bromine accumulation. Earth and Planetary Science Letters, 202:435–451.

Rosenthal, Y., P. Lam, E.A. Boyle and J. Thomson, 1995. Authigenic cadmium enrichments in suboxic sediments: Precipitation and postdepositional mobility. Earth and Planetary Science Letters, 132:99–111.

Rosman, K.J.R., W. Chisholm, C.F. Boutron, J.P. Candelone and S. Hong, 1994. Isotopic evidence to account for changes in the concentration of lead in Greenland snow between 1960 and 1988. Geochimica et Cosmochimica Acta, 58:3265–3269.

Rosman, K.J.R., W. Chisholm, S. Hong, J.-P. Candelone and C.F. Boutron, 1997. Lead from Carthaginian and Roman Spanish mines isotopically identified in Greenland ice dated from 600 B.C. to 300 A.D. Environmental Science and Technology, 31:3413–3416.

Ross, H.B., 1990. On the use of mosses (*Hylocomium splendens* and *Pleurozium schreberi*) for estimating atmospheric trace metal deposition. Water, Air, and Soil Pollution, 50:63–76.

Rothman, K.J., 1986. Modern Epidermiology, 1st ed. Little, Brown and Company, Boston.

Rothrock, D.A., Y. Yu and G.A. Maykut, 1999. Thinning of the arctic sea-ice cover. Geophysical Research Letters, 26:3469–3472.

Rudels, B., H.J. Friedrich and D. Quadfasel, 1999. The Arctic circumpolar boundary current. Deep-Sea Research II, 46:1023–1062.

Rühling, Å. and E. Steinnes, 1998. Atmospheric heavy metal deposition in Europe 1995–1996. Nord 1998:15. Nordic Council of Ministers, Copenhagen. 66 pp.

Rühling, Å. and G. Tyler, 1970. Sorption and retention of heavy metals in the woodland moss *Hylocomium splendens* (Hedw.). Oikos, 21:92–97.

Rühling, Å. and G. Tyler, 1974. Heavy metal pollution and decomposition of Spruce needle litter. Oikos, 24:402–416.

Rühling, Å. and G. Tyler, 2001. Changes in atmospheric deposition rates of heavy metals in Sweden. Water, Air, and Soil Pollution, Focus 1:311–323.

Rühling, Å., E. Steinnes and T. Berg, 1996. Atmospheric heavy metal deposition in northern Europe 1995. Nord 1996:37. 46 pp.

Ruohomäki, K., P. Kaitaniemi, M. Kozlov, T. Tammaru and E. Haukioja, 1996. Density and performance of Epirrita autumnata (Lepidoptera: Geometrida) along three air pollution gradients in northern Europe. Journal of Applied Ecology, 33:773–785.

Salemaa, M., M. Lindgren and E.-L. Jukola-Sulonen, 1992. Vitality of Scots pine stands at different distances from emission sources in the Kola Peninsula. *In:* E. Tikkanen, M. Varmola and T. Katermaa (eds.). Symposium on the state of the environment and environmental monitoring in northern Fennoscandia and the Kola Peninsula. 4: pp. 323–324. October 6–8, 1992, Rovaniemi, Finland.

Salemaa, M., I. Vanha-Majamaa and J. Derome, 2001. Understorey vegetation along a heavy-metal pollution gradient in SW Finland. Environmental Pollution, 112:339–350.

Samir, A.M. and A.B. El-Din, 2001. Benthic foraminiferal assemblages and morphological abnormalities as pollution proxies in two Egyptian bays. Marine Micropaleontology, 41:193–227.

Sandlund, O.T., K. Gunnarson, P.M. Jónasson, B. Jonsson, T. Lindem, K.P. Magnusson, H.J. Malmquist, H. Sigurjónsdóttir, S. Skúlason and S.S. Snorrason, 1992. The Arctic char *Salvelinus alpinus* in Thingvallavatn. Oikos, 64:305–351.

Sangster, D.F., P.M. Outridge and W.J. Davis, 2000. Stable lead isotope characteristics of lead ore deposits of environmental significance. Environmental Reviews, 8:115–147.

Satterfield, F.R. and B.P. Finney, 2002. Stable isotope analysis of Pacific salmon: Insights into trophic status and oceanographic conditions over the last 30 years. Progress in Oceanography, 53:231–246.

Savinov, V., S. Dahle, T. Savinova, B. Killie, H. Hummel and G. Matishov, 1998. Contaminants in the Pechora Sea biota. Akvaplan- niva Report no:430.97.1252. 37 pp.

Savinov, V.M., G.W. Gabrielsen and T.N. Savinova, 2003. Cadmium, zinc, copper, arsenic, selenium and mercury in seabirds from the Barents Sea: levels, inter-specific and geographical differences. Science of the Total Environment, 306:133–159.

Scanlon, P.F., K.I. Morris, A.G. Clark, N. Fimreite and S. Lierhagen, 1988. Cadmium in moose tissues: comparison of data from Maine, USA and from Telemark, Norway. Alces, 22:303–312.

Scherer, E., R.E. McNicol and R.E. Evans, 1997. Impairment of lake trout foraging by chronic exposure to cadmium – a black-box experiment. Aquatic Toxicology, 37:1–7.

Scheuhammer, A.M., 1991. Effect of acidification on the availability of toxic metals and calcium to wild birds and mammals. Environmental Pollution, 71:329–375.

Schroeder, B., 2001. Mercury measurements at Alert. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 130–135. Department of

Indian Affairs and Northern Development, Ottawa, Canada.
Schroeder, W.H., K.G. Anlauf, L.A. Barrie, J.Y. Lu, A. Steffen, D.R. Schneeberger and Berg, T., 1998. Arctic springtime depletion of mercury. Nature, 394:331–332.
Schroeder, W.H., A. Steffen, K. Scott, T. Bender, E. Prestbo, R. Ebinghaus, L.Y. Lu and S.E. Lindberg, 2003. Summary report: first international Arctic atmospheric mercury research workshop. Atmospheric Environment, 37:2551–2555.
Schvartsev, S.L., O.G. Savichev, A.A. Khvashevskaya, Y.G. Kopylova, R.F. Zarubina, N.A. Trifonova, N.G. Nalivaiko, U.M. Maruleva and A.N. Efimova, 1999. Complex ecologo-geochemical investigations of the Ob river waters. *In:* V.V. Zuev (ed.). Ecology of poimas and Siberian rivers and Arctic. Proceedings of the first interregional conference. pp. 110–115. November 25–26 1999. RAS Publishing House, Novosibirsk.
Scott, K., 2001. Bioavailable mercury in snow at Barrow, Alaska. Arctic, 54:92–95.
Seakem, 1991. Concentrations of zinc, cadmium and copper in Garrow Bay, 1990. Seakem Oceanography Ltd. 38 pp. +App.
Selifonova, O., R. Burlage and T. Barkay, 1993. Bioluminescent sensors for detection of bioavailable Hg(II) in the environment EPA/600/J-94/008. Applied and Environmental Microbiology, 59:3083–3090.
Selinus, O., A. Frank and V. Galgan, 1996. Biogeochemistry and metal biology. *In:* J.D. Appleton, R. Fuge and G.J.H. McCall (eds.). Environmental Geochemistry and Health. pp. 81–89. Geological Society Special Publication No 113. Sergeant, D.E. and F.A. Armstrong, 1973. Mercury in seals from eastern Canada. Journal of the Fisheries Research Board of Canada, 30:843–846.
Serreze, M.C., J. Box, R.G. Barry and J.E. Walsh, 1993. Characteristics of Arctic synoptic activity, 1952–1989. Meteorology and Atmospheric Physics, 51:147–64.
Serreze, M.C., J.E. Walsh, F.S. Chapin III, T. Osterkamp, M. Dyurgerov, V. Romanovsky, W.C. Oechel, J. Morison, T. Zhang and R.G. Barry, 2000. Observational evidence of recent change in the northern high-latitude environment. Climatic Change, 46:159–207.
Shaw, G.E. and M.A.K. Khalil, 1989. Arctic haze. *In:* O. Hutzinger (ed.). The Handbook of Environmental Chemistry. pp. 70–111. Springer-Verlag.
Sherrell, R.M., E.A. Boyle, K.K. Falkner and N.R. Harris, 2000. Temporal variability of Cd, Pb, and Pb isotope deposition in central Greenland snow. Geochemistry Geophysics Geosystems, 1:1999GC000007.
Shevchenko, V.P., A.P. Lisitzin, V.M. Kuptzov, G.I. Ivanov, V.N. Lukashin, J.M. Martin, V.Yu. Rusakov, S.A. Safarova, V.V. Serova and R. Van Grieken, 1995. Composition of aerosols over the Laptev, Kara, Barents, Greenland and Norwegian seas. Berichte zur Polarforschung, 176:7–16.
Shevchenko, V.P., A.A. Vinogradova, G.I. Ivanov, A.P. Lisitzin and V.V. Serova, 1997. Distribution and composition of aerosols of the western Arctic. Reports of Academy of Sciences, 355:673–676. (In Russian)
Shevchenko, V.P., A.A. Vinogradova, G.I. Ivanov, A.P. Lisitzin and V.V. Serova, 1999. The composition of aerosols in the marine boundary layer over the St. Anna Trough and the Barents Sea. Berichte zur Polarforschung, 342:15–26.
Shevchenko, V.P., A.P. Lisitzin, A.A. Vinogradova, V.V. Smirnov, V.V. Serova and R. Stein, 2000. Arctic aerosols. Results of tenyear investigations. Atmospheric and Oceanic Optics 13:510–533. (In Russian)
Shiklomanov, I.A., A.I. Shiklomanov, R.B. Lammers, B.J. Peterson and C.J. Vorosmarty, 2000. The dynamics of river water inflow to the Arctic Ocean. *In:* E.L. Lewis, E.P.Jones, P.Lemke, T.D. Prowse and P.Wadhams, (eds.). The freshwater budget of the Arctic Ocean. pp. 281–296. Kluwer Academic Publishers.
Showstack, R., 2001. IPCC report caurtiosly warns of potentially dramatic climate change impacts. Eos. Transactions of the American Geophysical Union, 82:113, 114, 120.
Siegel, F.R., J.J. Galasso and J.H. Kravitz, 2001. Geochemistry of thirteen Voronin Trough cores, Kara Sea, European Arctic: Hg and As contaminants at a 1965 timeline. Applied Geochemistry, 16:19–34.
Sirois, A. and L.A. Barrie, 1999. Arctic lower tropospheric aerosol trends and composition at Alert, Canada: 1980 –1995. Journal of Geophysical Research, 104:11599–11618.
Skaare, J.U., 1994. Mercury and selenium in Arctic and coastal seals of the coast of Norway. Environmental Pollution, 85:153–168.
Skjelkvåle, B.L.,T. Andersen, E. Fjeld, J. Mannio, A. Wilander, K. Johansson, P. Jensen and T. Moiseenko, 2001. Heavy metal surveys in Nordic lakes: Concentrations, geographic patterns and relation to critical limits. Ambio, 30:2–10.
Skotvold, T. and E.M.M. Wartena, 1997. Pathways of contaminants in Arctic freshwater systems. AMAP international symposium on environmental pollution in the Arctic. pp. 29–30. June 1–5, Tromsø.
Skotvold, T., E.M.M. Wartena and S. Rognerud, 1997. Heavy metals and persistent organic pollutants in sediments and fish from lakes in northern and Arctic regions of Norway. APN514.660.1. Aquaplan-niva. Tromsø.
Skov, H., J.H. Christensen, M.E. Goodsite, M.C. Petersen, N. Zeuthen-Heidam, G. Geernaert and J. Olsen, 2001. Dynamics and chemistry of atmospheric mercury. Danish contribution to EUROTRAC MEPOP report, 2000. Near surface conversion and fluxes of gaseous elemental mercury to reactive gaseous mercury in the Arctic.
SLU (Sveriges lantbruksuniversitet – Swedish University of Agricultural Sciences), 2003. [Online]. [15 October 2003]. www.ma.slu.se .
Smith, T.G. and F.A.J. Armstrong, 1978. Mercury and selenium in ringed and bearded seal tissues from Arctic Canada. Arctic, 31:75–84.
Snorrason, S.S. and G.S. Jónsson, 2000. Assessment of trace elements in biological samples from Varmagja and Vatnskot. University of Iceland, Institute of Biology, Report III. 19 pp.
Snowshoe, N., 2001. 1999 Peel River fish contaminant study. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 274–278. Department of Indian Affairs and Northern Development, Ottawa, Canada.
Snyder-Conn, E., J.R. Garbarino, G.L. Hoffman and A. Oelkers, 1997. Soluble trace elements and total mercury in Arctic Alaskan snow. Arctic, 50:201–215.
Sonne-Hansen, C., R. Dietz, P.S. Leifsson, I. Hyldstrup and F.F. Riget, 2000. Cadmium toxicity to ringed seals (*Phoca hispida*). An epidemioogical study of possible cadmium-induced nephropathy and osteodystrophy in ringed seals (*Phoca hispida*) from Qaanaaq in Northwest Greenland. Denmark: National Environmental Research Institute. NERI Technical Report No. 307. 31 pp.
Sorokovikova, L.M., O.G. Netsvetaeva, T.V. Khodjer, N.A. Kobeleva, E.P. Chebykina, L.P. Golobokova and M.P. Chubarov, 1999. Chemical composition and water quality of the Ob river. *In:* V.V. Zuev (ed.). Ecology of poimas and Siberian rivers and Arctic. Proceedings if the first interregional conference in-Tomsk, 25–26 November 1999. pp. 116–122. SB RAS Publishing House, Novosibirsk.
Spivey Fox, M.R., B.E. Fry Jr., B.F. Harland, M.E. Schertel and C.E. Weeks, 1971. Effect of ascorbic acid on cadmium toxicity in the young coturnix. Journal of Nutrition, 101:1295–1306.
Stavrova, N.I., 1993. Quantity and age structure of seedlings of Scots pine in polluted and unpolluted areas of the Kola peninsula. *In:* M.V. Kozlov, E. Haukioja and M.A. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula. pp. 225–229. April 14–16, 1992. St.Petersburg.
Steffen, A., W. Schroeder, L. Poissant and R.W. Macdonald, 2003. Mercury in the Arctic atmosphere. *In*: Bidleman, T.F., R.W. Macdonald, J. Stow (eds.). Canadian Arctic Contaminants Assessment Report II. Sources, Occurrence, Trends and Pathways in the Physical Environment. INAC. Ottawa. pp 124-142.
Stein, R. and R.W. Macdonald, 2003. The Organic Carbon Cycle in the Arctic Ocean, 336 pp. + 194 illust. Springer.
Steinnes, E., 1995. A critical evaluation of the use of naturally growing moss to monitor the deposition of atmospheric metals. Science of the Total Environment, 160/161:243–249.
Steinnes, E., 1997. Trace element profiles in ombrogenous peat profiles from Norway: Evidence of long range atmospheric transport. Water, Air, and Soil Pollution, 100:405–413.
Steinnes, E., 2001. Metal contamination of the natural environment

in Norway from long range atmospheric transport. Water, Air, and Soil Pollution, Focus 1:449–460.

Steinnes, E. and E. Andersson, 1991. Atmospheric depositon of mercury in Norway: Temporal and spatial trends. Water, Air, and Soil Pollution, 56:391–404.

Steinnes, E., and Å. Rühling. 2002. Heavy metals in surface soil in Fennoscandia. Report NORD 2002:4. Nordic Council of Ministers, Copenhagen, Denmark.

Steinnes, E., J.E. Hanssen, J.P. Rambæk and N.B. Vogt, 1994. Atmospheric deposition of trace elements in Norway: temporal and spatial trends studies by moss analysis. Water, Air, and Soil Pollution, 74:121–140.

Steinnes, E., R.O. Allen, H.M. Petersen, J.P. Rambæk and P. Varskog, 1997. Evidence of large scale heavy-metal contamination of natural surface soils in Norway from long-range atmospheric transport. Science of the Total Environment, 205:255–266.

Steinnes, E., N. Lukina, V. Nikonov, D. Aamlid and O. Røyset, 2000. A gradient study of 34 elements in the vicinity of a copper-nickel smelter in the Kola Peninsula. Environmental Monitoring and Assessment, 60:71–88.

Steinnes, E., T. Berg, T.E. Sjøbakk, H. Uggerud and M. Vadset, 2001. Atmospheric deposition of heavy metals in Norway. Nationwide survey in 2000. State Program for Pollution Monitoring, Report 838/01. Norwegian State Pollution Control Authority, Olso. 28 pp.

Stern, G., W.L. Lockhart and M. Ikonomou, 2000. Temporal trends of organochlorine, organobromine and heavy metal contaminants in burbot from Fort Good Hope, Northwest Territories. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1999–2000 Northern Contaminants Program. pp. 233–236. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Stern, G.A., W.L. Lockhart and M. Ikonomou, 2001a. Temporal trends of organochlorine, organobromine and heavy metal contaminants in burbot from Fort Good Hope, Northwest Territories. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 230–236. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Stern, G.A., P. Roach and M. Diamond, 2001b. Temporal and spatial trends of mercury in fish from Yukon lakes and in sediment cores from Lake Laberge. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 243–250. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Stewart, F.M. and R.W. Furness, 1998. The influence of age on cadmium concentrations in seabirds. Environmental Monitoring and Assessment, 50:159–171.

Stewart, F.M., R.A. Phillips, P. Catry and R.W. Furness, 1997. Influence of species, age and diet on mercury concentrations in Shetland seabirds. Marine Ecology Progress Series, 151:237–44.

Stoddart, M., 2001. Mercury levels in fish from lakes in the Dogrib region surrounding Rae Lakes. *In:* S. Kalhok (ed.). Synposis of research conducted under the 2000–2001 Northern Contaminants Program. pp. 279–284. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Stout, J.H., K.A. Trust, J.F. Cochane, R.S. Suydam and L.T. Quakenbush, 2002. Environmental contaminants in four eider species from Alaska and Arctic Russia. Environmental Pollution, 119:215–226.

Stratton, W.J. and S.E. Lindberg, 1995. Use of a refluxing mist chamber for measurement of gas-phase water-soluble mercury (II) species in the atmosphere. Water, Air, and Soil Pollution, 80:1269–1278.

Sturges, W.T. and L.A. Barrie, 1989. Stable lead isotope ratios in Arctic aerosols: evidence for the origin of Arctic air pollution. Atmospheric Environment, 23:2513–2520.

Sturges, W.T., G.F. Cota and P.T. Buckley, 1992. Bromoform emission from Arctic ice algae. Nature, 358:660–662.

Surnin, V.A., E.G. Kovnatsky, A.J. Lobov, V.N. Vasilenko, T.V. Belokova, I.M. Nazarov and E.Y. Bezuglaya, 1997. Environmental impacts of the atmospheric emissions of the smelters at Norilsk, Central Siberia. AMAP international symposium on environmental pollution in the Arctic. pp. 191–194. Tromsø.

Sutinen, S. and L. Koivisto, 1992. Cell injuries in the needles of Scots pine (*Pinus sylvestris* L.) in Finnish Lapland. A light and electron microscopic approach. *In:* E. Tikkanen, M. Varmola and T. Katermaa (eds.). Symposium on the state of the environment and environmental monitoring in northern Fennoscandia and the Kola Peninsula, 4. pp. 232–234. October 6–8, 1992, Rovaniemi, Finland.

Sutinen, M.-L., H. Raitio, V. Nivala, R. Ollikainen and A. Ritari, 1996. Effects of emissions from copper-nickel smelters on the frost-hardiness of Pinus sylvestris needles in the subarctic region. New Phytology, 132:503–512.

Swain, E.B., D.R. Engstrom, M.E. Brigham, T.A. Henning and P.L. Brezonik, 1992. Increasing rates of atmospheric mercury deposition in midcontinental North America. Science, 257:784–787.

Sweeney, M.D., 1984. Heavy metals in the sediments of an Arctic lagoon, northern Alaska. M.S. Thesis. Universtity of Alaska-Fairbanks, USA.

Swiergosz, R., M. Zakrzewska, K. Sawicka-Kapusta, K. Bacia and I. Janowska, 1998. Accumulation of cadmium in, and its effect on, bank vole tissues after chronic exposure. Ecotoxicology and Environmental Safety, 41:130–136.

Tarvainen, T., P. Lahermo, T. Hatakka, P. Huikuri, M. Ilmasti, R. Juntunen, J. Karhu, N. Kotelainen, M. Nikkarinen and U. Väisänen, 2001. Chemical composition of well water in Finland – Main results of the 'One Thousand Wells' project. *In:* S. Autio (ed.). Current Research 1999–2000. pp. 57–76. Geological Survey of Finland, Special paper 31.

Taylor, D.L., S. Schliebe and H. Metsker, 1989. Contaminants in blubber, liver, and kidney tissue of Pacific walruses. Marine Pollution Bulletin, 20:465–468.

Thomas, D.J., Erickson, P.E. and J.D. Popham, 1983. Chemical and biological studies at Strathcona Sound, NWT, 1982. Final Report. Prepared by Arctic Laboratories Limited for the Department of Indian and Northern Development. Northern Affairs Program, Northwest Territories, Canada. unpublished report, 105 pp + Appendices.

Thompson, D.R., 1996. Mercury in birds and terrestrial mammals. *In:* W.N. Beyer, G.H. Heinz and A.W. Redmon-Norwood (eds.). Environmental contaminants in wildlife: Interpreting tissue concentrations. pp. 341–356. CRC Press.

Tikkanen, E. and I. Niemelä (eds.), 1995. Kola Peninsula pollutants and forest ecosystems in Lapland. Finnish Ministry of Agriculture and Forestry. The Finnish Forest Research Institute.

Titov, V.A., 1967. The principal features of mercury mineralization in northeastern USSR, pp. 138–143. Problemy metallogenii Sovetskogo Dal'nego Vostoka. Akademiya nauk SSSR. (In Russian)

Tømmervik, H., B.E. Johansen and J.P. Pedersen, 1995. Monitoring the effects of air pollution on terrestrial ecosystems in Varanger (Norway) and Nikel-Pechenga (Russia) using remote sensing. Science of the Total Environment, 160/161:753–767.

Travnikov, O., 2001. Hemispheric model of airborne pollutant transport. EMEP/MSC-E Technical Note 8/2001. Meteorological Synthesizing Centre - East. Moscow.

Trust, K.A., J.F. Cochrane and J.H. Stout, 1997. Environmental contaminants in three eider species from Alaska and arctic Russia. Technical Report WAES-TR-97-03. Ecological Services, US Fish and Wildlife Service, Anchorage.

Trust, K.A., K.T. Rummel, A.M. Scheuhammer, I.L. Brisbin and M.J. Hooper, 2000. Contaminant exposure and biomarker responses in spectacled eiders (*Somateria fischeri*) from St. Lawrence Island, Alaska. Archives of Environmental Contamination and Toxicology, 38:107–113.

Tsibulski, V., M. Yatsenko-Khemelevskaya, V. Gordeev, V. Dauvalter and V. Shevchenko, 2001. Summary of the Russian research for the AMAP II HM Report. International workshop on trends and effects of heavy metals in the Arctic. June 18–22 2001, McLean, USA. AMAP Report 2001:3, B85–B124 pp.

Tucker, W.B.I., T.C. Grenfell, R.G. Onstott, D.K. Perovich, A.J. Gow, R.A. Shuchman and L.L. Sutherland, 1990. Microwave and physical properties of sea ice in the winter marginal ice zone. Journal of Geophysical Research, 96, C3:4573–4587.

Tvinnereim, H.M., R. Eide and G.R. Fosse, 1997. Mercury in primary teeth from contemporary Norwegian children. Poster. International Conference on Human Health Effects of Mercury Exposure. Faroe Islands, June 1997.

Tyler, G., 1984. The impact of heavy metal pollution on forests: a case study of Gusum, Sweden. Ambio, 13:18–24. Uhlig, C. and O. Junttila, 2001. Airborne heavy metal pollution and its effects on foliar elemental composition of Empetrum hermaphroditum and Vaccinium myrtillus in Sör-Varanger, northern Norway. Environmental Pollution, 114:461–469.

Ukonmaanaho, L., M. Starr, J.-P. Hirvi, A. Kokko, P. Lahermo, J. Mannio, T. Paukola, Ruoho-Airola, T. and H. Tanskanen, 1998. Heavy metal concentrations in various aqueous and biotic media in Finnish integrated monitoring catchments. Boreal Environmental Research, 3:235–249.

UN, 1997. Statistical Yearbook. United Nations.

USEPA, 1997. National air pollutant emission trends, 1900–1996. EPA Report 454/R-97-011. U.S. Environmental Protection Agency, Research Triangle Park, USA.

USEPA, 1999. National recommended water quality criteria – correction. U.S. Environmental Protection Agency, Office of Water. EPA 822-Z-99-001., Washington D.C.

USEPA, 2001. 2001 Update of Ambient Water Quality Criteria for Cadmium. U.S. Environmental Protection Agency, Office of Water. EPA 822-R-01-001, Washington D.C.

Valette-Silver, N.J., M.J. Hameedi, D.W. Efund and A. Robertson, 1997. Contaminants in the sediments and biota of the western Beaufort Sea. National Oceanic and Atmospheric Administration, National Ocean Service, NOS ORCA108. Silver Spring, USA. 179 pp.

van Geen, A., D.C. McCorkle and G.P. Klinkhammer, 1995. Sensitivity of the phosphate-cadmium-carbon isotope relation in the ocean to cadmium removal by suboxic sediments. Paleoceanography, 10:159–169.

Véron, A.J., T.M. Church, I. Rivera-Duarte and A.R. Flegal, 1999. Stable lead isotopic ratios trace thermohaline circulation in the subarctic North Atlantic. Deep-Sea Research II, 46:919–935.

Verta, M., 1990. Changes in fish mercury concentrations in an intensively fished lake. Canadian Journal of Fisheries and Aquatic Science, 47:1888–1897.

Vinogradova, A., 1996. Elemental composition of atmospheric aerosol of the Eastern Arctic Regions. Proceedings of the Academy of Sciences, Physics of the atmosphere and ocean, 32:479–486. (In Russian)

Vogt, R., Crutzen, P.J. and R. Sander, 1996. A mechanism for halogen release from sea-salt aerosol in the remote marine boundary layer. Nature, 383:327–330.

Vollestad, L.A., E. Fjeld, T. Haugen and S.A. Oxnevad, 1998. Developmental instability in grayling (*Thymallus thymallus*) exposed to methylmercury during embryogenesis. Environmental Pollution, 101:349–54.

Vuglinsky, V.S., 1997. River inflow to the Arctic Ocean: conditions of formation, time variability and forecasts. Proceedings of the Arctic Climate System Study (ACSYS) conference on polar processes and global climate Part II of II, pp. 275–276.

Wadhams, P. and J.P. Wilkinson, 1996. Measurements of sea-ice characteristics within the Odden ice tongue. *In:* P. Wadhams, J.P. Wilkinson and S.C.S. Wells (eds.). European Subpolar Ocean Programme. Sea ice-ocean interactions. pp. 331–359. Scientific report. European Commission (MAST-II Programme contract MAS2-CT-93-0057, DGXII).

Wagemann, R., 1985. Heavy metals in fish from the Mackenzie River at Fort Good Hope. Unpubl. report, Department of Fisheries and Oceans, Winnipeg, Canada. 10 pp.

Wagemann, R., S. Innes and P.R. Richard, 1996. Overview and regional and temporal differences of heavy metals in Arctic whales and ringed seals in the Canadian Arctic. Science of the Total Environment, 186:41–66.

Wagemann, R., L. Lochart, M. Kinsley, S. Innes and G. Bolia, 1998. Methylmercury and heavy metals in tissues of narwhal, beluga and ringed seals. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1997-1998 Northern Contaminants Program. pp. 204–209. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Walsh, P.M., 1990. The use of seabirds as monitors of heavy metals in the marine environment. *In:* R.W. Furness and P.S. Rainbow (eds.). Heavy metals in the marine environment. pp. 183–204. CRC Press.

Wang, B., 1999. Spatial distribution of chemical constituents in the Kuskokwim river. Alaska, US Geological Survey, Water-Resources Investigations Report 99-4177. Anchorage, USA. 33 pp.

Wang, B., 2001. Spatial variability of geochemistry in the Kuskokwim river, Alaska. AMAP workshop on trends and effects of heavy metals in the Arctic. 18–22, June 2001, McLean, USA. AMAP Report 2001:3. pp. B36–B38.

Wängberg, I. and J. Munthe, 2001. Atmospheric mercury in Sweden, Northern Finland and Northern Europe. Results from national monitoring and European research. IVL (Swedish Environment Research Institute Ltd.), Rapport/report B1399, Gothenburg.

Wängberg, I., J. Munthe, N. Pirrone, Å. Iverfeldt, E. Bahlman, P. Costa, R. Ebinghaus, X. Feng, R. Ferrara, K. Gårdfeldt, H. Kock, E. Lanzillotta, Y. Mamane, F. Mas, E. Melamed, Y. Osnat, E. Prestbo, J. Sommar, S. Schmolke, G. Spain, F. Sprovieri and G. Tuncel, 2003. Atmospheric mercury distribution in Northern Europe and in the Mediterranean region. Atmospheric Environment, 356:3019–3025.

Wania, F. and D. Mackay, 1993. Global fractionation and cold condensation of low volatility organochlorine compounds in polar regions. Ambio, 22:10–18.

Wayland, M., H.G. Gilchrist, L. Dickson, B. Braune, T. Bollinger, Marchant, T. and C. James, 1999a. Contaminants in Arctic sea ducks. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 1998-1999 Northern Contaminants Program. pp. 213–222. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Wayland, M., K.A. Hobson and J. Sirois, 1999b. Contaminants in colonial waterbirds from Great Slave Lake. *In:* S. Kalhok (ed.). Synopsis of Research Conducted under the 1998-1999 Northern Contaminants Program. pp. 223–231. Department of Indian Affairs and Northern Development, Ottawa, Canada.

Wayland, M., H.G. Gilchrist, J.E.G. Smits, T. Marchant and J. Keating, 2001. Contaminants in Arctic seaducks. *In:* S. Kalhok (ed.). Synopsis of research conducted under the 2000-2001 Northern Contaminants Program. pp. 251–259. Department of Indian and Northern Development, Ottawa, Canada.

Wenzel, C. and G.W. Gabrielsen, 1995. Trace element accumulation in three seabird species from Hornøya, Norway. Archives of Environmental Contamination and Toxicology, 29:198–206.

Wheatley, B. and M. Wheatley, 1988. Methylmercury in the Canadian arctic environment past and present – natural or industrial? Arctic Medical Research, 47, Supplement 1:163–167.

White, C.M. and T.J. Cade, 1971. Cliff-nesting raptors and ravens along the Colville River in Arctic Alaska. Living Bird, 10:107–150.

White, D.H. and M.T. Finley, 1978. Uptake and retention of dietary cadmium in mallard ducks. Environmental Review, 17:53–59.

Winterhalder, K., 1995. Early history of human activities in the Sudbury area and ecological damage to the landscape. *In:* J.M. Gunn (ed.). Restoration and recovery of an industrial region. pp. 17–31. Springer-Verlag.

Wobeser, G., N.O. Nielsen and B. Schiefer, 1976. Mercury and mink II. Experimental methyl mercury intoxication. Canadian Journal of Comparative Medicine, 40:34–45.

Woshner, V.M. 2000. Concentrations and interactions of selected elements in tissues of four marine mammal species harvested by Inuit hunters in Arctic Alaska, with an intensive histological assessment, emphasizing the beluga whale. PhD Thesis. University of Illinois at Urbana-Champaign. 302 pp.

Woshner, V.M., T.M. O'Hara, G.R. Brattton and V.R. Beasley, 2001a. Concentrations and interactions of selected essential and non-essential elements in ringed seals and polar bears of Arctic Alaska. Journal of Wildlife Diseases, 37:711–722.

Woshner, V.M., T.M. O'Hara, G.R. Brattton, R.S. Suydam and V.R. Beasley, 2001b. Concentrations and interactions of selected essential and non-essential elements in bowhead and beluga whales of Arctic Alaska. Journal of Wildlife Diseases, 37:693–710.

Woshner, V., T. O'Hara, J. Eurell, M. Wallig, G. Bratton, R.S. Suydam and V. Beasley, 2002. Distribution of inorganic mercury in liver and kidney of beluga and bowhead whales through autometallographic development of light microscopic tissue sections. Toxicologic Pathology, 30:209–215.

Wren, C.D., T. Nygård and E. Steinnes, 1994. Willow ptarmigan (*Lagopus lagopus*) as a biomonitor of environmental metal lev-

els in Norway. Environmental Pollution, 85:291–295.

Yanko, V., A. Arnold and W. Parker, 1999. The effect of marine pollution on benthic foraminifera. *In:* B.K. Sen Gupta (ed.). Modern Foraminifera. pp. 217–235. Kluwer.

Yarmishko, V.T. and M.A. Yarmishko, 1993. Impact of aerial pollution on root systems of Scots pine in pine stands of the Kola Peninsula. *In:* M.V. Kozlov, E. Haukioja and V.T. Yarmishko (eds.). Proceedings of the international workshop on aerial pollution in Kola Peninsula. April 14–16, 1992. pp. 252–258. St. Petersburg.

Yeats, P.A., 1988. Manganese, nickel, zinc and cadmium distributions at the Fram 3 and CESAR ice camps in the Arctic Ocean. Oceanologica Acta, 11:383–388.

Yeats, P.A. and J.M. Bewers, 1987. Evidence for anthropogenic modification of global transport of cadmium. *In:* J.O. Nriagu (ed.). Cadmium in the Aquatic Environment. pp. 19–34. John Wiley and Sons.

Yeats, P.A. and S. Westerlund, 1991. Trace metal distributions at an Arctic Ocean ice island. Marine Chemistry, 33:261–277.

Yngvadóttir, E. and H. Halldórsdóttir, 1998. Monitoring of the marine biosphere around Iceland in 1996 and 1997. Icelandic Fisheries laboratories Report 20–98. (In Icelandic)

Yngvadóttir, E. and H. Halldórsdóttir, 1999. Monitoring of the marine biosphere around Iceland in 1997 and 1998. Icelandic isheries Laboratories Report 6–99. (In Icelandic)

Yngvadóttir, E., H. Halldórsdóttir, U. Ragnarsdóttir and E. Árnadóttir, 2002. Monitoring of the marine biosphere around Iceland in 1998–2000. Icelandic Fisheries Laboratories Report 13-02.

Zektser, I.S., R.G. Dzhamalov and A.V. Meskheteli, 1984. Underground water exchange between land and sea. Hydrometizdat, Leningrad. 305 pp.

Zenkova, I., 2001. Soil-zoological research of natural and polluted soils at the Kola Peninsula. AMAP workshop on trends and effects 18–22 June, 2001, McLean, USA. AMAP Report 2001:3. pp. B76–B79.

Zhang, X., A.S. Naidu, J.J. Kelley, S.C. Jewett, D. Dasher and L.K.Duffy, 2001. Baseline concentrations of total mercury andmethylmercury in salmon returning via the Bering Sea(1999–2000). Marine Pollution Bulletin, 42:993–997.

Zhou, S., N. Belzile and Y.-W. Chen, 1998. Microwave digestion of fish tissues and determination of Cu, Se and Hg by atomic absorption spectrometry. International Journal of Environmental Chemistry, 72:205–216.